

Cattle Hoof Trimming Discs

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: Jiangsu, China(Mainland)
- Brand Name: Chuangpu
- Certification: ISO
- Model Number: HL-Q6
- Minimum Order Quantity: 1pcs
- Price: USD\$9.00/PCS-USD\$9.50/PCS
- Packaging Details: CARTON
- Payment Terms: T/T, L/C, Western Union, MoneyGram
- Supply Ability: 1000PCS PER MONTH



Product Specification

- Features: Simple Operation Easy To Use
- Brand Name: Chuangpu
- Model Number: HL-Q6
- Animal Type Application: Cow/Cattle
- Place Of Original: Jiangsu China(Mainland)
- Is_customized: Yes
- Condition: New
- Item: Anti-kick Device For Cow
- Material: SS
- Highlight: cattle hoof trimming discs, cattle nose ring



More Images



Product Description

Milking parts cow anti-kick bar , stainless steel anti cow kicker for stop a cow from kicking

Product Model Number: HL-Q6

Product Material: SS Rubber

Product Specification: Diameter is 33mm, Width is 540mm, Net Weight is 1.77Kg.

Product Description:


Application: It can prevent the cow to hurt the people when milking, repairing, checking, and taking the drug.

1. Hold down the sides of the spring.
2. The desired length can be achieved by stretching or compressing the elbow portions at both ends.
3. After the end of use, the spring can be automatically reset.

Product Features:

1. There are multiple holes in the tube, adjustable size.
2. Easy to operate simple, save time and effort.
3. The use of high-quality galvanized materials, safe and reliable, with the rest assured.
4. Galvanized steel pipe, adjustable length, can be adjusted according to the shape of cattle.
5. Both ends of the rubber rods in the cattle soft contact to protect livestock from harm.

Model Number	HL-Q6
Diameter	33mm
Width	540mm
Net Weight	1.77kg



产品简介

Product introduction

创普机械 Chuang Pu

创普机械

Chuang Pu



Product name: Cattle Stop Kicking Rods

Product number: HL-Q6

Product introduction: The stop kicking rods are used during milking, hoof repair, and healing. It is hung on the shoulder of the cow or the root of the hind leg to prevent the unscrupulous cow kicker from causing harm to the breeder and facilitating the work of the breeder.



Adjustable length: Longest770mm shortest445mm

Weight 1.77KG



Made of high quality stainless steel material, 2mm thick and durable

创普机械

Instructions for use

1. Press and hold the spring pin on both sides of the kick bar
2. Stretch or compress the bent portion of the two ends to the desired length
3. The spring pin can be automatically reset.



创普机械
Chuang Pu






- 1.** Five adjustment holes with spring pin for easy adjustment.



- 2.** Soft rubber cover at both ends for no damage to cattle.



- 3.** Easy to disassemble and easy to assemble.

 0086 13301569240  sales2@dairymachinery.cc  mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China