

Rumen Magnet 2m Cow Farm Equipment Cattle Stomach Extraction

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: JiangSu
- Brand Name: Chuangpu
- Certification: High Quality
- Model Number: HL-Q12-II
- Minimum Order Quantity: 2pcs
- Price: USD\$7.39-27.00/pc
- Packaging Details: Packing Carton
- Delivery Time: 6-8days
- Payment Terms: T/T, Western Union, paypal
- Supply Ability: 1000pcs/month



Product Specification

- Model: HL-Q12-II
- Length: 2m
- Name: Rumen Magnet
- Weight: 0.95KG
- Usage: Cattle Stomach Extraction
- Animal: Cow
- Highlight: rumen magnet cow farm equipment, cow farm equipment cattle stomach extraction, cow farm equipment stomach iron extractor



More Images



Product Description

Rumen Magnet Cow stomach iron extractor 2m Cattle Stomach Extraction

Product Description:

It is a tool for removing nails, iron wire and other iron scraps from the stomach of cattle. It can effectively prevent diseases such as traumatic net gastritis, pericarditis and pleurisy in cattle, thereby reducing the mortality of cattle.

Quick Detail:

Name	Model	Length	Weight
Rumen Magnet	HL-Q12-II	/	0.95KG
Holder	/	/	/
Rumen Magnet without holder	/	2m	/

Features:

- The rear end of the magnet block shell has an elliptical shape to prevent the esophagus from.
- The push rod is divided into three sections, which are easy to assemble.
- Widened plastic handle for easy grip.

Competitive Advantage:

- Wide range of cow farm equipment: headlock, free stall and hutch;
- Reliable quality and excellent products
- Sample is available
- Lifetime technical service support

Product Picture:





创普机械
Chuang Pu


Product name: Magnet Absorbers

Product number: HL-Q12

Product introduction: It is a tool for removing nails, iron wire and other iron scraps from the stomach of cattle. It can effectively prevent diseases such as traumatic net gastritis, pericarditis and pleurisy in cattle, thereby reducing the mortality of cattle.



Feeder



length2M

It consists of three tubular rods (stainless steel) that are threadedly connected to each other, and a flexible sleeve at the end of the ram is convenient for hand-held.

Holder



A foldable retaining ring is attached to each end of a main frame. The retaining ring is connected with a belt for tethering

创普机械
Chuang Pu



Hailian Packaging Equipment Co.,Ltd

0086 13301569240

sales2@dairymachinery.cc

mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China