

235*30mm Veterinary Thermometer White Color Metal Probe Hd Lcd Display

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: JiangSu
- Brand Name: Chuangpu
- Certification: High Quality
- Model Number: HL-Q26
- Minimum Order Quantity: 1pc
- Price: USD\$13.00/pc
- Packaging Details: Packing Carton
- Delivery Time: 6-8days
- Payment Terms: T/T, Western Union, paypal
- Supply Ability: 500pcs/month



Product Specification

- Model: HL-Q26
- Usage: Measure The Body Temperature Of Live
- Name: Veterinary Thermometer
- Range: 32 -43
- Accuracy: ± 1
- Animals: Pigs, Sheep, Cows, Horses, Pets
- Highlight: **lcd display veterinary thermometer, metal probe veterinary thermometer, lcd display vet thermometer**



More Images



Product Description

Veterinary Thermometer 235*30mm White ColorMetal probe HD LCD display Veterinary Instrument

Product Description:

- This thermometer is suitable for a variety of animals such as pigs,cattle,sheep,dogs and cats.
- With 30 seconds of rapid temperature measurement,the measuring instrument has a slender and smooth head that does not cause damage to the animal's anu..
- It can help the pasture to manage livestock health.

Quick Detail:

Name	Model	Range	Accuracy
Veterinary Thermometer	HL-Q26	32 -43	±1

Features:

- 1.Equipped with high-definition LCD display.
- 2.The temperature measuring is slender and smooth.
- 3.With the 7th battery,it is convenient to change the battery.

Competitive Advantage:

- Wide range cows farm equipment: headlock, free stall and hutch;
- Reliable quality and excellent products
- Sample is available
- Lifetime technical service support

Product Picture:



使用说明

Directions for use



- 1 Press the power button, the thermometer will beep after the power is turned on, and the sound will indicate that the temperature can be measured.
- 2 Insert the temperature sensor into the anus of the animal about 5-8cm. The thermometer will beep and display the temperature within 30 seconds.
- 3 If the temperature is not detected for 2 minutes, it will automatically shut down after no operation. If there is no operation after 10 minutes of temperature measurement, it will automatically shut down.
- 4 The measurement temperature range is 32.00 ° C ~ 42.99 ° C

创普机械

Chuang Pu

产品包装

Product packaging



Please look for
genuine packaging
when purchasing!



Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China