



# Stainless Steel Milking Machine Parts L02 Pneumatic Milk Pulsator Soft Safe **Durable**

## **Basic Information**

. Place of Origin: JiangSu . Brand Name: Chuangpu · Certification: High Quality HL-P04A L02 Model Number:

• Minimum Order Quantity: 2pcs

• Price: USD\$29.00-32.00/PC · Packaging Details: Packing Carton

• Delivery Time: 6-8days

Payment Terms: T/T, Western Union,paypal

. Supply Ability: 500pcs/month



## **Product Specification**

Model: HL-P04A L02

• Material: Stainless Steel Shell Pneumatic Milk Pulsator Name:


2/4 Ports Connector:

Use: Milking Machine Accessories

• Pulse Frequency:

Highlight: Stainless Steel Milk Pulsator,

L02 Pneumatic Milk Pulsator,





## **Product Description**

### Stainless Steel L02 Pneumatic Milk Pulsator Milking Machine Parts 2/4 ports Milking soft safe and durable

#### **Product Description**

Milk pulsator is a device that makes the air pressure change periodically, and it is one of the essential accessories of the milking machine system. There are gas pulsation and electric pulsation, and various types are available for selection. The adjustable pulsation frequency is suitable for cows, goats and sheep. The corresponding accessories are available separetely.

#### Quick Detail:

Name	Model	Air Tube	Tube Dia
Pneumatic Milk Pulsator	HL-P04A L02	2 ports	9.5mm
		4 ports	9.5mm

#### Features:

- Two designs for outlet and perfect combination with a variety of milking machines.
- Multiple screws on the left and right sides for durability.
- The speed of the pulsator can be adjusted via the pulsator back screw.

### **Competitive Advantage:**

- Wide range cows farm equipment: headlock, free stall and hutch;
- Reliable quality and excellent products
- Sample is avaiable
- Lifetime technical service support

#### **Product Picture:**





# (P)创普®

# Hailian Packaging Equipment Co.,Ltd

0086 13301569240

sales2@dairymachinery.cc

mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China