



Automatic Parallel Herringbone Milking Parlor For Milk Cows , Goats , Sheep

Basic Information

Place of Origin: China (Mainland)

Brand Name: HL

• Certification: ISO9001:2000, ISO9001:2008

Model Number: HL-G1
Minimum Order Quantity: One set
Price: Negotiation

Packaging Details: Wooden crate, carton

• Delivery Time: 30-40 days

• Payment Terms: T/T

Supply Ability: 10sets/Month



Product Specification

Highlight: dairy milking machine, small milking machine



More Images



Product Description

Automatic Parallel Herringbone Milking Parlor For Milk Cows, Goats, Sheep

Quick Detail:

- Glass milk meter herringbone milking parlor for cows and goats.
- Different layouts of parlor to be offered.
- With ISO9001:2000, ISO9001:2008 certificate.
- Easy operate and maintenance.

Description:

- Glass milk meter herringbone milking parlor (fish bone-type frame) is optimal of each separated units with flexible units.
- Suspended structure: there is a stand column, fixed frame and adjustable arch at each end of the cow place.
- Support frame: every two cow places have a carriage, fixing is easy and convenient, choosing different automation degree of guardrail, groove edge is made of stainless steel or galvanized plates, fixed by bolts or cement.
- Three choices for door control: manual control, vacuum drive and pneumatically drive, which meets the different requests.
- The range from 2x4 to 2x32 to meet different clients' requirement.
- Consist: Vacuum System, Pulsating System, Milk Piping System, Milk Cup Group, Milk Receiver System, Washing System, Glass Milk Meter, and Bracket.

Features:

- 1. Layout compact, save space;
- 2. Low cost and high efficiency;
- 3. Tunnel depth right, easy observe and operate;

Applications:

- 1. used to milk cows, goats and sheep;
- 2. used for for small, medium and large farm.

Specifications:

| Model Number | HL-G1 |
|---------------------------|--|
| Item | Glass Milk Meter Herringbone Milking Parlor |
| Voltage | 380V/50Hz(three phase) |
| Glass Milk Meter Capacity | 28 liter(upon request) |
| Power | 4kw |
| Milking Unit | Upon the milking place |
| Milking Place | Upon request |
| Pulsation frequency | 60:40(adjustable) |
| Milking Parlor Structure | Herringbone, Pipeline, Pail Bucket |


Competitive Advantage:

- I. We are machines manufacture sale directly
- II. High quality with reasonable price
- III. We provide the technical support all lifelong.
- IV. Engineers overseas available to install the parlor and train the workers.













OUOU 1000 1000270 aleszewali ymacilinery.co imoulieniilikinginaciline.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China