



HL-G2 Herringbone Milking Parlor with Automatic Cluster Remover for Cow Milking

Our Product Introduction

Basic Information

- Place of Origin: China (Mainland)
- Brand Name: HL
- Certification: ISO9001:2000, ISO9001:2008
- Model Number: HL-G2
- Minimum Order Quantity: One set
- Price: Negotiation
- Packaging Details: Wooden crate, carton
- Delivery Time: 30-40 days
- Payment Terms: T/T
- Supply Ability: 10sets/Month



Product Specification

- Highlight: herringbone milking parlor system, small milking parlor

Product Description

Corporate HQ: CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY(SUZHOU) CO.,LTD

Export Dept: HAILIAN PACKAGING EQUIPMENT CO., LTD

Branch: Sichuan Gene Haven Animal Husbandry Technology Co.Ltd

EMAIL: nancyzxd68@gmail.com

sales2@dairymachinery.cc

MOBILE: +86 133 0156 9240(Wechat/WhatsApp)

OFFICE: +86 512 5890 5953

HL-G2 Herringbone Milking Parlor with Automatic Cluster Remover for Cow Milking

Quick Detail:

- Model: Milk Flow Meter Herring Bone Milking Parlor System.
- Model Number: HL-G2
- Voltage: 380V / 50Hz(depends on clients)
- Usage: Cows
- Layout: from 2x4 to 2x32 or more as request

Description:

Milking parlour / milking hall is a system that could be used to milk cows / goats in a large quantity at the same time. The layout could be designed from 2x4 to 2x32 or more as customer's request. With milk flow meter and ACR system, this kind of milking parlor is more widely used all around the world. also with accurate calibraton and proportional measurement, this parallel milking parlor become more and more popular.

Features:

- The most utilized parlor installation stall work to date is the Herringbone parlor, so named because of the linear layout and angle of the stalls mimicking the shape of the backbone of the Herring. Greenock produces the Herringbone parlor steel work in a variety of sizes and angles to suit the preference of the customer.
- Automatic cup remover
- Auto split type measuring & milk flow meter
- Auto electronic massage

Applications:

This system be used to milk many cows at one time.

Specifications:

Model Number	HL-G2
Item	Milk Flow Meter Herring Bone Milking Parlor System
Component	Shed Frame, Cleaning System, Electronic Control System, Vacuum Pump System, Milk Receiver System, Milking Control System
Voltage	380V/50Hz(three phase)
Power	4kw
Milking Unit	Upon the milking place
Milking Place	Upon request
Pulsation frequency	60:40(adjustable) for cows
Milking Parlor Structure	Herringbone

Competitive Advantage:

1. With ISO9001:2000, ISO9001:2008 certificate
2. With good quality and reasonable price
3. With all lifelong technical support.
4. Engineers overseas available to install the parlor and train the workers.



Chuangpu Animal Husbandry Technology (Suzhou) Co., Ltd.



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China