



Steel Bloodless Animal Veterinary Sheep Castration Tool

Basic Information

Place of Origin: Jiangsu China(Mainland)

• Brand Name: CHUANGPU

Certification: ISO
Model Number: HL-Q2A
Minimum Order Quantity: 1set

Price: USD\$95.00/setPackaging Details: CARTON

• Payment Terms: Western Union, MoneyGram, T/T, L/C

• Supply Ability: 100SET/MONTH



Product Specification

• Features: Simple Operation Easy To Use Bloodless

Castration

Material: Stainless Steel

Application: HorseCondition: New

• Highlight: Steel Sheep Castration Tool,

Veterinary Bloodless Castrator, Steel Bloodless Castrator

Product Description

Steel Bloodless Animal Veterinary Sheep Castration Tool

Material: Surgical grade German stainless steel Rusting prevention procedure: Passivated

Ultrasonic cleaned: Yes Polish type: Matt polished

Tests performed: Boil test, performance test, shape test

Packing: Individually packed

QC passed: Yes Conformity: CE mark

Most male horses that will not be used for breeding are castrated at around 12 - 15 months of age.[1] Uncastrated male horses have high levels of testosterone, which can make them difficult and even dangerous to handle. If you are thinking about getting your horse castrated, make sure that you schedule an appointment with your veterinarian. Castration is a surgical procedure that must be performed by a veterinarian.

Castrating a Horse in the Field. Castrating a male horse, called gelding, can be done at a veterinary hospital but is often done in the field. When gelding is done on the premises where the horse lives, there is no need to transport the horse and the animal can wake up in familiar surroundings rather than in a confined space.

Madal	HL-Q2A
Model	ITL-UZA
Name	Bloodless Castrating(Burdizzo)
Foto	as below
Material	Stainless steel
Animal	Horse, Deer, Mule
Weight	1kg









Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China