



Burdizzo Castration Plier Bloodless Castrator Veterinary Castrate For Sheep

Basic Information

. Place of Origin: Jiangsu . Brand Name: chuangpu

CE ISO FDA SGS · Certification:

HL-Q2C Model Number:

• Minimum Order Quantity:

• Price: USD\$30/set · Packaging Details: Carton • Delivery Time: 5-8days

Payment Terms: T/T, Western Union, Paypal

. Supply Ability: 100set/month



Product Specification

Material: Stainless Steel

· Package: Carton

Sheep Castrator • Usage:

HL-Q2C Model: 1 PCS MOQ: • Delivery Time: 2-3days

• Highlight: **Bloodless Castrator For Sheep**,

Castration Plier Bloodless Castrator, **Stainless Steel Bloodless Castrator**

Sheep Bloodless Castrator Stainless Steel Cultivation Farm Using Tool

Product Introduction:

Product name: Sheep Bloodless Castrator

Product number: HL-Q2C

Product introduction: The reason we them called "no blood castration" is the bloodless castrator is a scientific veterinary surgical instrument. The device achieves the purpose of surgery by clamping the animal spermatic cord through the scrotum of the livestock, and does not need to incision on the scrotum of the livestock, It is suitable for castration of livestock such as bulls, sheeps and pigs. Easy to cooperation and Any question you can contact us any time.



Model	HL-Q2C
Material	Stainless Steel
13 -	Carton
Usage	Sheep Castrator
Animal	Sheep or Goat
Weight	1.14KG
Country	China
Delivery time	3-5 days

Using bloodless castration method:

livestock binding (veterinary terminology, the reliable and stable control of livestock), after the local anesthesia, the operator grasps the scrotum neck of livestock (such as cattle, sheep, etc.) by hand, and squeezes the testicles to the bottom of the scrotum, the spermatic cord is pushed to the outside of the neck of the scrotum, and is clamped on the inner skin of the spermatic cord with a long-handed sperm stringing clamp to prevent the spermatic cord from sliding and then open the jaw of the bloodless castration clamp and clamp it in the long handle. The ejaculation fixed clamp is fixed at 3-5CM above the fixed point, and the assistant slowly closes the handle. The clamp point should be at least 1 cm above the testicle. After confirming that the spermatic cord has been clamped by the iaws, forcefully close the gripper handle and you will hear a crisp click" sound, indicating that the spermatic cord has been chipped. After the clamp handle is closed, it should be kept for at least one minute, then loosen the jaws to ensure that the spermatic cord has been broken, loosen the forceps, and clamp the second time on the spermatic cord at 1.5-2.OCM below it to ensure the surgical effect.





Passing Equipment Co.,Ltd

0086 13301569240

sales2@dairymachinery.cc

mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China