

China (Mainland)

HL

HL-JN01

Negotiation

10-15 days

T/T

Wooden Crates

300sets/Month

Small Cattle Mobile Milking Machine Hand Operated Sucking Milk

CE,ISO9001:2000,ISO9001:2008 certificate

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: Two Sets
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



রাগ

Product Specification

Item:Type:

Animal:

Material:Liner:

• Shell:

- Cattle Removable Milking Machine Removable Cattle Stainless Steel Rubber Milk Liner
- Stainless Steel Milk Shell
- Highlight: dairy milking machine, small milking machine



More Images





Product Description

Small Cattle Mobile Milking Machine Hand Operated Sucking Milk

Quick Details:

- farm milking equipment for cows and cattle milking
- small and movable milking machine with inox milking bucket
- cattle milking machine with one bucket milking group
- removable cattle milking machine milking equipment
- small milking equipment is suitable for goats and sheep milking

Description:

Hand operated small removable milking machine is one vacuum pump type milking machine, it contains 250litres vacuum pump set(pump, oil can, muffer, vacuum meter, vacuum regulator), electric motor, 2 ports milk pulsator, transparent milk tube, transparent PVC pulse tube, milking cluster group, one stainless steel milking bucket and brackets. This removable milking machine could operate movably, convenient and flexible and no space constraints. This single bucket removable milking machine is suitable for cows, goats, sheep and buffaloes, only changing the milking cluster group.

Hand Operated Small Cattle Removable Milking Machine:

- Heavy duty trolley type
- 1* 250L vacuum pump with oil lubricated
- 1* 2 exits pneumatic milk pulsator
- 1* 25litre stainless steel milk bucket
- 1 * stainless steel milk bucket cover with 2 exits
- 1* 240cc milk claw(other milkclaw types for choosing)
- 4* synthetic rubber milk liners(round bore liners)
- 4* stainless steel teat cup shell(2.00mm thickness)
- 2.8m * transparent milk tubing(PVC material)
- 2.8m * transparent twin pulse tubing(PVC material)

Features:

- 1. Unique design, easy to operate and maintain
- 2. Hard-wearing and movable wheels, convenient and flexible
- 3. 50Kpa vacuum degree, stable vacuum and pulsation rate
- 4. Low noise (stainless steel muffer could keep a lower milking voice)
- 5. Small vacuum fluctuations and milking softly
- 6. Sufficient milking bucket capacity, 25litres for one bucket

Specification:

Model	HL-JN01
Vacuum Degree	0.04-0.05Mpa(adjustable)
Pulsation Times	60-80 times per minute
Pulsation Rate	60:40
Power Fitted	750W
Motor	copper wire
Voltage	220V/50Hz(customized available)
Productivity	10-12 cows / hour 20-30 goats / hour
Vacuum Pump Capacity	250 L/min
Motor Speed	1440 r/min
Bucket Quantity	1piece(25L)
Certificate	CE, ISO, FDA, SGS





