



Manual Single Bucket Mobile Milking Machine for Dairy Cow Farms

Basic Information

Place of Origin: China (Mainland)

• Brand Name: HL

Certification: CE,ISO9001:2000,ISO9001:2008 certificate

Model Number: HL-JN01
Minimum Order Quantity: Two Sets
Price: Negotiation
Packaging Details: Wooden Crates
Delivery Time: 10-15 days
Payment Terms: T/T

• Supply Ability: 300sets/Month



Product Specification

• Item: Single Bucket Milking Machine

Bucket Qty:
 1 Unit

Type: Mobile & Trolley
Bucket Material: Stainless Steel
Voltage: 120V-220V
Power: 0.55KW-0.75KW

• Highlight: dairy milking machine, small milking machine



More Images





Product Description

Manual Single Bucket Mobile Milking Machine for Dairy Cow Farms

Quick Details:

- cow nipple milking machine with flexible wheels
- single cow mobile milking machine for cows milking
- single bucket group milking machine for milking cows
- 50Kpa vacuum degree portable milking machine for slae
- pneumatic milking pulsator milking machine for cattles and cows
- single bucket milking machine is suitable for cows, sheep or goats milking

Description:

Manual single bucket mobile milking machine is one vacuum pump trolley type milking machine, it contains 250litres vacuum pump set(pump, oil can, muffer, vacuum meter, vacuum regulator), electric motor, 2 ports milk pulsator, transparent milk tube, transparent PVC pulse tube, milking cluster group, one stainless steel milking bucket and brackets. This manual mobile milking machine could operate movably, convenient and flexible and no space constraints. With single cluster group, this electric mobile milking machine is suitable for cows, cattles, goats, sheep and buffaloes, only changing the milking cluster group.

Manual Single Bucket Mobile Milking Machine:

- Heavy duty trolley type, with heavy duty wheels
- 1* 250L vacuum pump with oil lubricated
- 1* 2 exits pneumatic milk pulsator
- 1* 25litre stainless steel milk bucket
- 1 * stainless steel milk bucket cover with 2 exits
- 1* 240cc milk claw(other milkclaw types for choosing)
- 4* synthetic rubber milk liners(round bore liners)
- 4* stainless steel teat cup shell(2.00mm thickness)
- 2.8m * transparent milk tubing(PVC material)
- 2.8m * transparent twin pulse tubing(PVC material)

Features:

- 1. Unique design, easy to operate and maintain
- 2. Hard-wearing and movable wheels, convenient and flexible
- 3. 50Kpa vacuum degree, stable vacuum and pulsation rate
- 4. Low noise (stainless steel muffer could keep a lower milking voice)
- 5. Small vacuum fluctuations and milking softly
- 6. Sufficient milking bucket capacity, 25litres for one bucket

Specification:

Specification.	
Model	HL-JN01
Vacuum Degree	0.04-0.05Mpa(adjustable)
Pulsation Times	60-80 times per minute
Pulsation Rate	60:40
Power Fitted	750W
Motor	copper wire
Voltage	220V/50Hz(customized available)
Productivity	10-12 cows / hour 20-30 goats / hour
Vacuum Pump Capacity	250 L/min
Motor Speed	1440 r/min
Bucket Quantity	1piece(25L)
Certificate	CE, ISO, FDA, SGS







Ms. Nancy Zhang Hailian Packaging Equipment Co.,Ltd

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China

Mob: 86-133 0156 9240 Skype: nancy.zhang62

Email: sales2@dairymachinery.cc nancyzxd68@gmail.com

Tel: 86-512-56370546



Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



e mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China