



Cattle crush Head Lock Farm Equipment Hot-galvanized Steel Pipe

Basic Information

Place of Origin: China (Mainland)

Brand Name: HL

Certification: CE ISO SGS
Model Number: HL-P10
Minimum Order Quantity: One set
Price: Negotiation
Packaging Details: Carton
Delivery Time: 10-20 days
Payment Terms: T/T. Western Union

Payment Terms: T/T, Western Union, T/T, MoneyGram

Supply Ability: 500sets/Month



Product Specification

Model Number: HL-MP08

• Item: Cow Head Lock

Material: Hot-galvanized Steel Pipe

Thickness: 3mm Thickness: 3mm

Feeding Space: From 0.4m/cow To 1.2m/cow
 Feeding Space: From 0.4m/cow To 1.2m/cow
 Suits Cow: Can Be Used For Goats, Sheep(customerized)

Can Be Used For Goats, Sheep(customerized)

Highlight: cattle crush head lock, cattle head lock



More Images

. Suits Cow:





Product Description

Cattle crush Head Lock Farm Equipment Hot-galvanized Steel Pipe



Cow Head Lock Specifications

OW Head Lock Opecinications.	
Model Number	HL-MP08
Item	Cow Head Lock
Material	Hot-galvanized steel pipe
Thickness	3mm
Feeding Space	from 0.4m/cow to 1.2m/cow
Suits Cow	Weaning Calf, Heifer, Young Cow, Lactating Cow, Dry Cow, Pregnant Cow, Postpartum Cow.

Cow Head Lock Description:

Cow Head Lock facilitates cows to keep stability, but flexibly open and close when cows lower heads to take feed. It facilitates veterinary to do regular activities for cows, such as check-up, immune, artificial fertilization, pregnancy, treatment, dehorning, and calving, thus reduce the labor intensity, and improve work efficiency.

Cow Head Lock Short Data:

- A. Material: 3mm hot-galvanized steel pipe
- B. Montant: Ø42mm hot dip galvanized pipe;
- C. Motion Bar: Ø42mm hot dip galvanized pipe;
- D. Cross-bar: 50*40 hot dip galvanized square tube;
- E. Components: Motion Bar, Montant, Mantlet, Clamp, Bolt & Axis Pin etc.
- F. Feeding Space: depends on cows age;

Cow Head Lock Applications:

- 1. used to lock dairy cow and cattle;
- 2. used in dairy farm;
- 3. for Lactating Cow, Dry Cow, Pregnant Cow, Postpartum Cow;

Cow Head Lock Features:

- 1. Simple operation, only need a 90 $^{\circ}$ rotation and a press fit, can complete the work of the whole lock and unlock.
- 2. Humanized design, can improve the work efficiency. With 2 self-closing head locks on each set headlock, can greatly reduce the labor intensity.
- 3. Cow-friendly design, can guarantee cattle feeding time. According to cows age, design different specifications of the headlock and increase the milk yield.
- 4. Durable products. After completing, through treating surface with hot galvanizing to prevent steel corrosion, at least 0.8 mm.
- 5. Good flexibility. A whole row of cow headlock can be self-locked, also can be a single. This design is convenient for daily work.

Competitive Advantage:

- I. We are equipment manufacture sale directly
- II. High quality with reasonable price
- III. We provide the technical support within the one year warranty.



Contact us:

HAILIAN PACKAGING EQUIPMENT CO., LTD CHUANGPU MACHINERY CO.,LTD

Mr.Savior Chen

EMAIL: sales1@dairymachinery.cc

MOBILE: +86 13301568240(**Whatsapp**/Viber)

SKYPE: savior.chen2
WECHAT: savior_chen2
TM: cn1513281670
QQ: 1003668592



Hailian Packaging Equipment Co.,Ltd







Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China