

China

CE, ISO

HL-P10

HL

Friendly Automatic Cluster Removal System with Steel Cylinder

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 1 set Carton 5-7 working days Western Union, T/T, Paypal 500 sets / per month



রাগ

Product Specification

- Item:
- Usage:
- Model:
- Animal:
- Range:
- Voltage:
- Highlight:

Automatic Teat Cup Cluster Removing System Removing The Teat Cup Cluster Group Automatic & Interpulse Goats, Sheep, Cows, Cattles Milking Machine System 24 V milking cluster, dairy cluster



More Images



Our Product Introduction

Product Description

Friendly Automatic Cluster Removal System with Steel Cylinder

Quick Details:

- Model: HL-P10

- Item: automatic teat cup cluster removing system
- Type: new Interpulse automatic type
- Usage: removing the teat cup cluster group after finishing milking
- Range: cow milk flow meter milking parlor, goats and sheep milking parlour system
- Components: control valve, cylinder, flow sensor, controller panle and fixed parts

Description:

- Automatic teat cup cluster removing system is used to control the automatic falling cup of the milking device and cleaning condition. It can directly control the pulsation frequency and massage manually or automatically.

- Automatic teat cup cluster removing system will allow the cluster to be connected to the cow udder, and continuously monitor milk flow, and at the right level of milk drop off it should remove the unit in a gentle manner. This will ensure that each animal is milked out correctly every time, and prevent under milking or over milking.

- Automatic teat cup cluster removing system has different functions which play an important role in the milking parlor system.

- · Intelligent massage.
- Adjustable Milk-let-down delay.
- · Milk flow monitoring with accurate sensor technology.
- · Automatic sucking milk after dropping.
- · Pulse adjustable function.
- · Warning display function.
- · Automatic or manual control.

Features:

- Get the best milk production and at the same time keep your animals in good health.
- · Stimulation, pulsation, automatic stripping and cluster removal.
- Intelligent technology for first class milking results and perfectly milked animals.

• This removal technique is extremely sensitive and animal-friendly. At the same time, removing the milking equipment with an electronic motor saves space in the barn. Over-milking and blind milking will be things of the past.

Specification:

Item	Automatic Cluster Remover
Model No.	HL-P10
Model	Automatic
Voltage	24V
Туре	New Interpulse
Usage	Removing the milking cluster group
Animal	Cow, Cattle, Goat, Sheep
Range	Milking Parlor System
Function	 Intelligent massage. Adjustable Milk-let-down delay. Milk flow monitoring with accurate sensor technology. Automatic sucking milk after dropping. Pulse adjustable function. Warning display function. Automatic or manual control.

Application:

Automatic teat cup cluster removing system is one most important part for the milking parlor. It is used to remove the milking cluster group after finishing the milking. The automatic teat cup cluster removing system has the function of automatic perception. When the flow sensor senses no milk flowing out, the flow sensor will transfer the signal to the milk valve through



Hailian Packaging Equipment Co.,Ltd

0086 13301569240

sales2@dairymachinery.cc

@ mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China

the panel, and then valve will break vacuum, the cylinder will take off the cluster group.