Milk ACR System Automatic Milk Cluster Removal System / Automatically Off Cup

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: China
- Brand Name: HL
- Certification: CE, ISO
- Model Number: HL-P10
- Minimum Order Quantity: 1 set
- Packaging Details: Carton
- Delivery Time: 5-7 working days
- Payment Terms: Western Union, T/T, Paypal
- Supply Ability: 500 sets / per month

Product Specification

- Item: Automatic Milk Cluster Removal System
- Usage: Automatically Off Cup
- Model: Automatic & Interpulse
- Animal: Goat, Sheep, Cow, Cattle
- Range: Milking Machinery Parts
- Voltage: 24 V
- Highlight: **milking cluster**, **dairy cluster**

More Images

Milk ACR System Automatic Milk Cluster Removal System / Automatically Off Cup

Quick Details:
- Model: HL-P10

- Item: automatic milk cluster removal system

- Type: Interpulse automatic type

- Usage: automatically off cup after finishing milking

- Range: milking machinery parts, cow, goats and sheep milking parlour system

- Components: control valve, cylinder, flow sensor, controller panle and fixed parts

Description:
- Automatic milk cluster removal system is used to control the automatic falling cup of the milking device and cleaning condition. It can directly control the pulsation frequency and massage manually or automatically.

- Automatic milk cluster removal system will allow the cluster to be connected to the cow udder, and continuously monitor milk flow, and at the right level of milk drop off it should remove the unit in a gentle manner. This will ensure that each animal is milked out correctly every time, and prevent under milking or over milking.

- Automatic milk cluster removal system has different functions which play an important role in the milking parlor system.

- • Intelligent massage.

- • Adjustable Milk-let-down delay.

- • Milk flow monitoring with accurate sensor technology.

- • Automatic sucking milk after dropping.

- • Pulse adjustable function.

- • Warning display function.

- • Automatic or manual control.

Features:
• Get the best milk production and at the same time keep your animals in good health.

• Stimulation, pulsation, automatic stripping and cluster removal.

• Intelligent technology for first class milking results and perfectly milked animals.

• This removal technique is extremely sensitive and animal friendly. At the same time, removing the milking equipment with an electronic motor saves space in the barn. Over-milking and blind milking will be things of the past.

Specification:

Item	Automatic Cluster Remover
Model No.	HL-P10
Model	Automatic
Voltage	24V
Type	New Interpulse
Usage	Removing the milking cluster group
Animal	Cow, Cattle, Goat, Sheep
Range	Milking Parlor System
Function	- Intelligent massage. - Adjustable Milk-let-down delay. - Milk flow monitoring with accurate sensor technology. - Automatic sucking milk after dropping. - Pulse adjustable function. - Warning display function. - Automatic or manual control.

Application:
Automatic milk cluster removal system is one most important part for the milking parlor. It is used to remove the milking cluster group after finishing the milking. The milk cluster removal system has the function of automatic perception. When the flow sensor senses no milk flowing out, the flow sensor will transfer the signal to the milk valve through the panel, and then valve will break vacuum, the cylinder will take off the cluster group.

Ms. Nancy Zhang
Hailian Packaging Equipment Co.,Ltd
Nanzhuang Village, Economic Development Zone,Yangshe Twon,Zhangjiagang City, China
Mob: 86-133 0156 9240
Skype: nancy.zhang62

Hailian Packaging Equipment Co.,Ltd

0086 13301569240   sales2@dairymachinery.cc   mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone,Yangshe Twon,Zhangjiagang City, China