

2 Vacuum Ports LT80 Sheep Milking Machine Pulsator with 60 Cycles Per Minute Pulsation Rate

Our Product Introduction

more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: China
- Brand Name: Chuangpu
- Model Number: HL-P01A LT80
- Minimum Order Quantity: 1 PCS
- Price: Negotiable
- Packaging Details: Carton
- Delivery Time: 3-5 working days
- Payment Terms: T/T, Western Union,
- Supply Ability: 50000PCS /Month



Product Specification

- Type Of Animal: Cow, Sheep, Goat.
- Pulsation Ratio: 60:40
- Pulsation: Adjustable
- Pulsation Phase: Alternating
- Pulsation Rate: 60 Cycles Per Minute
- Item: Pneumatic Pulsator
- Material: Stainless Steel
- Pulsation Ratio Adjustment: Manual
- Highlight: Sheep Milking Machine Pulsator,
2 Vacuum Ports Milking Machine Pulsator,
2 Vacuum Ports pulsator for milking



More Images



Product Description

Corporate HQ: [CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY\(SUZHOU\) CO.,LTD](#)

Export Dept: [ZHANGJIAGANG FANRS MACHINERY CO.,LTD.](#)

Branch: [Sichuan Gene Haven Animal Husbandry Technology Co.Ltd](#)

EMAIL: nancyzxd68@gmail.com

sales2@dairymachinery.cc

MOBILE: +86 133 0156 9240(Wechat/WhatsApp)

OFFICE: +86 512 5890 5953

Product Description:

The Milking Machine Pulsator is an essential component designed for efficient milking processes, particularly in ranching and livestock operations. This high-quality Ranching Machine Pulsator offers a reliable and adjustable pulsation rate of 60 cycles per minute, ensuring optimal milking performance for bovine livestock.

Constructed from durable stainless steel material, this Bovine Milking Pulsator is built to withstand the rigors of daily milking routines in a farming environment. The sturdy construction of the pulsator ensures longevity and reliability, making it a valuable asset for any dairy operation.

One of the key features of this Pneumatic Pulsator is its adjustable pulsation mechanism, allowing users to customize the pulsation rate according to their specific milking requirements. The manual pulsation ratio adjustment feature provides flexibility and control, enabling users to fine-tune the milking process for maximum efficiency.

With a pulsation rate of 60 cycles per minute, this Milking Machine Pulsator ensures gentle yet effective milking action, promoting milk flow and optimizing the milking process. The consistent and adjustable pulsation of the pulsator helps to stimulate milk letdown in dairy cows, resulting in faster and more thorough milking sessions.

Whether you are a small-scale dairy farmer or a large commercial dairy operation, the Ranching Machine Pulsator is a vital tool that can enhance your milking efficiency and productivity. Its durable stainless steel construction, adjustable pulsation rate, and manual pulsation ratio adjustment make it a reliable and versatile component for any milking system.

Investing in a high-quality and dependable Bovine Milking Pulsator like this one can significantly improve the overall performance of your milking operation. By providing consistent and adjustable pulsation, this pulsator helps to ensure thorough and efficient milking processes, ultimately leading to increased milk production and profitability.

Experience the benefits of using the Milking Machine Pulsator in your dairy operation today. Its superior construction, adjustable pulsation rate, and manual pulsation ratio adjustment make it a valuable asset for any ranching or livestock facility. Upgrade your milking system with this reliable and efficient Pneumatic Pulsator and see the difference it can make in your daily milking routines.

Features:

Product Name: Milking Machine Pulsator

Type: Pneumatic

Pulsation: Adjustable

Applicable Industries: Farms, Retail

Vacuum Ports: 2 Or 4

Pulsation Ratio Adjustment: Manual

Technical Parameters:

Material	Stainless Steel
Item	Pneumatic Pulsator
Pulsation Ratio Adjustment	Manual
Vacuum Ports	2 Or 4
Type Of Animal	Cow, Sheep, Goat
Applicable Industries	Farms, Retail
Pulsation Rate	60 Cycles Per Minute
Pulsation Ratio	60:40
Pulsation	Adjustable
Pulsation Phase	Alternating

Applications:

The Chuangpu Milking Machine Pulsator (Model: HL-P01A LT80) is a top-quality ranching machine pulsator designed for efficient bovine

milking. Made from durable stainless steel, this pneumatic pulsator boasts a pulsation ratio of 60:40, ensuring optimal milking performance. Its alternating pulsation phase is ideal for cows, sheep, and goats, making it a versatile tool for various livestock operations. Designed and manufactured in China, the Chuangpu Milking Machine Pulsator is perfect for a wide range of product application occasions and scenarios. Whether you are a small-scale dairy farmer or a large commercial ranch operation, this pulsator is a valuable addition to your milking equipment lineup.

One key application scenario for this ranching machine pulsator is during daily milking routines on dairy farms. Its efficient pulsation technology helps streamline the milking process, saving time and effort for farm workers. The Chuangpu Milking Machine Pulsator is also well-suited for use in livestock shows and exhibitions, where quick and effective milking is essential to showcase healthy and well-groomed animals.

Furthermore, this bovine milking pulsator is a great choice for educational institutions and research facilities that study animal husbandry and milking techniques. Its sturdy construction and reliable performance make it a dependable tool for conducting experiments and practical demonstrations.

In summary, the Chuangpu Milking Machine Pulsator (Model: HL-P01A LT80) is a versatile and durable ranching machine pulsator suitable for a wide range of applications in the dairy and livestock industry. With its high-quality stainless steel construction, efficient pneumatic operation, and compatibility with various animals such as cows, sheep, and goats, this pulsator is a must-have for any modern milking operation.

LT80 Pneumatic Milk Pulsator



Product Name: LT80 Pneumatic Milk Pulsator

Product Model: HL-P01A

Product Feature:

1. Two model available
2. Effective regulation of pulsation frequency for gentle milking
3. Tightly structured, airtight, strong and durable

PRODUCT PARAMETERS

Model: LT80	Pulsator Rate: 60:40	
Material: Plastic Shell	Exit Dia: 9.5mm	
Exits: 2 plastic	Package: Cartons	
Usage: cow/goat milking parts		

	Model: LT80	Pulsator Rate: 60:40
	Material: Plastic Shell	Exit Dia: 9.5mm
	Exits: 4 plastic	Package: Cartons
	Usage: cow/goat milking parts	



Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China