

## 2 Vacuum Ports HP102 Milking Machine Pulsator For Fast And Consistent 60 Cycles Per Minute Pulsation Rate

Our Product Introduction

more products please visit us on [mobilemilkingmachine.com](http://mobilemilkingmachine.com)

### Basic Information

- Place of Origin: China
- Brand Name: Chuangpu
- Model Number: HL-P04B HP102 Delaval
- Minimum Order Quantity: 1 PCS
- Price: Negotiable
- Packaging Details: Carton
- Delivery Time: 3-5 working days
- Payment Terms: T/T, Western Union,
- Supply Ability: 50000PCS /Month



### Product Specification

- Pulsation: Adjustable
- Item: HP102 Pneumatic Pulsator
- Applicable Industries: Farms, Retail
- Type: Pneumatic
- Vacuum Ports: 2
- Pulsation Phase: Alternating
- Pulsation Ratio Adjustment: Manual
- Pulsation Rate: 60 Cycles Per Minute
- Highlight: **2 Vacuum Ports Milking Machine Pulsator, Fast Milking Machine Pulsator, Consistent Milking Machine Pulsator**



### More Images



## Product Description

**Corporate HQ:** [CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY\(SUZHOU\) CO.,LTD](#)

**Export Dept:** [ZHANGJIAGANG FANRS MACHINERY CO.,LTD.](#)

**Branch:** [Sichuan Gene Haven Animal Husbandry Technology Co.Ltd](#)

EMAIL: [nancyzxd68@gmail.com](mailto:nancyzxd68@gmail.com)  
[sales2@dairymachinery.cc](mailto:sales2@dairymachinery.cc)

MOBILE: +86 133 0156 9240(Wechat/WhatsApp)  
OFFICE: +86 512 5890 5953

### Product Description:

The Milking Machine Pulsator is a crucial component for dairy farms and retail establishments looking to streamline their milking process. With its manual pulsation ratio adjustment feature, this pulsator offers precise control over the milking process, ensuring optimal results each time.

Designed for efficiency and versatility, the Milking Machine Pulsator boasts adjustable pulsation settings, allowing users to customize the pulsation frequency to suit different milking needs. Whether you are working with cows, goats, or other dairy animals, this pulsator can be easily adjusted to deliver the right level of pulsation for maximum efficiency.

One of the standout features of this Milking Machine Pulsator is its alternating pulsation phase, which mimics the natural milking process. This alternating pulsation pattern helps stimulate milk let-down and ensures thorough milking, resulting in higher milk yields and healthier animals.

With a pulsation ratio of 60:40, this pulsator strikes the perfect balance between massage and milking, promoting better udder health and overall milk quality. The gentle yet effective pulsation ratio ensures a comfortable milking experience for the animals while maximizing milk extraction.

Designed for use in farms and retail environments, the Milking Machine Pulsator is a versatile tool that can meet the needs of various industries. Whether you are a small-scale dairy farmer or a large retail operation, this pulsator is a reliable choice for optimizing your milking process.

Overall, the Milking Machine Pulsator is a must-have tool for any dairy operation looking to improve efficiency, milk quality, and animal welfare. With its manual pulsation ratio adjustment, adjustable pulsation settings, alternating pulsation phase, and industry compatibility, this pulsator is sure to enhance your milking process and deliver exceptional results.

### Features:

Product Name: Milking Machine Pulsator

Pulsation Rate: 60 Cycles Per Minute

Type: Pneumatic

Applicable Industries: Farms, Retail

Pulsation Phase: Alternating

Pulsation: Adjustable

### Technical Parameters:

Pulsation Ratio Adjustment	Manual
Pulsation Ratio	60:40
Pulsation Rate	60 Cycles Per Minute
Pulsation	Adjustable
Type	Pneumatic
Item	HP102 Pneumatic Pulsator
Material	Plastic
Type Of Animal	Cow, Sheep, Goat
Vacuum Ports	2
Applicable Industries	Farms, Retail

## HP102 Pneumatic Milk Pulsator



Product Name: HP102 Pneumatic Milk Pulsator

Product Model: HL-P04B

Product Feature:

1. Advanced design techniques
2. Effective regulation of pulsation frequency for gentle milking
3. Tightly structured, airtight, strong and durable

## PRODUCT PARAMETERS

**Model:** HP102

**Material:** Plastic Shell

**Exits:** 2 plastic

**Usage:** cow/goat milking parts

**Pulsator Rate:** 60:40

**Exit Dia:** 9.5mm

**Package:** Cartons



### Example of usage



Bases



DeLaval pulsator with base



**Note:** When used with DeLaval milk meters, a matching base is required for installation.



**Hailian Packaging Equipment Co.,Ltd**



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China