



Boost Dairy Farm's Efficiency 340g GEA Electric Milking Machine Pulsator With 2 Ports

Basic Information

Place of Origin: China
 Brand Name: Chuangpu
 Model Number: HL-P06F GEA

Minimum Order 1 PCS

Quantity:

• Price: Negotiable

Packaging Details: Carton

• Delivery Time: 3-5 working days

• Payment Terms: T/T, Western Union,

• Supply Ability: 50000PCS /Month



Product Specification

• Dimensions: 82*107*141mm

• Power Source: Electric

• Key Selling Points: High Productivity

Port Dia.: 10mmWeight: 340g

Vacuum Ports: 2 Or 4 PortsPacking: Carton Box

• Voltage: 24V

Highlight: GEA Electric Milking Machine Pulsator,

340g GEA Electric Milking Machine Pulsator,

2 Ports milking machine pulsator

Product Description

Corporate HQ: CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY(SUZHOU) CO.,LTD

Export Dept: ZHANGJIAGANG FANRS MACHINERY CO.,LTD.
Branch: Sichuan Gene Haven Animal Husbandry Technology Co,Ltd

EMAIL: nancyzxd68@gmail.com sales2@dairymachinery.cc

MOBILE: +86 133 0156 9240(Wechat/WhatsApp)

OFFICE: +86 512 5890 5953

Product Description:

The Cow Milking Pulsator is a vital component of any dairy machine setup, designed to enhance the milking process for optimum efficiency and productivity. With either 2 or 4 vacuum ports available, this pulsator is a versatile solution suitable for various livestock operations. Key Selling Points: - High Productivity: The Milking Machine Pulsator boasts a high productivity rate, ensuring a smooth and efficient milking process that saves time and effort for the operator. Featuring a ratio of 60:40, the Cow Milking Pulsator delivers consistent pulsation to facilitate the milking process effectively. The 10mm port diameter ensures compatibility with standard milking machine configurations, offering seamless integration for enhanced performance. Powered by electricity, this Dairy Machine Pulsator provides a reliable energy source to support continuous operation during milking sessions. The efficient power source contributes to the overall functionality of the livestock machine pulsator, ensuring consistent pulsation for optimal milk extraction. In conclusion, the Cow Milking Pulsator is a reliable and efficient component for dairy machine systems, offering high productivity and performance for livestock operations. With its 2 or 4 vacuum ports, 60:40 ratio, 10mm port diameter, and electric power source, this pulsator is a must-have for modern dairy farming practices.

Features:

Product Name: Milking Machine Pulsator-----

Vacuum Ports: 2 Or 4 Ports Key Selling Points: High Productivity Usage: For Milking Machine

Port Dia.: 10mm Ratio: 60:40

Technical Parameters:

Packing	Carton Box
Weight	340g
Voltage	24V
Power Source	Electric
Vacuum Ports	2 Or 4 Ports
Port Dia.	10mm
Dimensions	82*107*141mm
Ratio	60:40
Key Selling Points	High Productivity
Usage	For Milking Machine

Applications:

The Chuangpu HL-P06F GEA Milking Machine Pulsator is a versatile farming machine pulsator designed for efficient udder milking in various animal husbandry scenarios. With its origins in China, this pulsator is equipped with 2 or 4 vacuum ports, offering flexibility in usage depending on the specific requirements of the milking setup.

Operating at a voltage of 24V, this lightweight pulsator weighing only 340g ensures ease of handling during milking procedures. Its high productivity rate, with a ratio of 60:40, allows for quick and effective milking sessions, optimizing time and resources. The Chuangpu HL-P06F GEA Milking Machine Pulsator is the ideal solution for dairy farms, livestock operations, and animal breeding facilities. Its reliable performance and consistent pulsation make it suitable for both small-scale and large-scale milking operations. Whether used in a traditional barn setting or a modern milking parlor, this udder milking pulsator excels in providing gentle and efficient pulsation to ensure thorough and comfortable milking for the animals. The precise engineering of this animal pulsation device makes it a valuable asset in maintaining the health and well-being of the livestock.

Electric Milk Pulsator



product name: electric milk pulsator product Model: HL-P06F Product Feature:

- 1. Two models available
- 2. Effective regulation of pulsation frequency for gentle milking
- 3. Tightly structured, airtight, strong and durable

PRODUCT PARAMETERS

Model: HL-P06F Pulsator Rate: 60:40

Material: Plastic Shell Exit Dia: 10mm Exits: 2 /4 plastic Voltage: 24V Usage: cow/goat Package: Cartons

milking parts





Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



e mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China