

Jiangsu, China

CE ISO SGS

HL-9TMR-9

Standard Packaging

5-10 Working Days

20 Sets/Month

Stationary Feed Mixer For Farm Animal Feeding Mixing Vertical Green Color

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 Set
- Price:
- Negotiation

HL

- · Packaging Details:
- Delivery Time:
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability:



রাগ

Product Specification

- Model Number:
- HL-TMR-14 • Item: 14CBM TMR Mobile Feed Mixer • Moving Blade: 14 Pcs 26 • Speed(r/min): • Power(kw): 90 • Size(LxWxH)(mm): 5460X1860X2480 • Weight(kg): 4680 Color: Green • Highlight: vertical feed mixer, cattle feed mixer



More Images





Stationary Feed Mixer For Farm Animal Feeding Mixing Vertical Green Color

TMR Mixer For Farm Animal Feeding Features:

- 1. An iron hoop was added on the top of the box to prevent processing materials from overflow
- so as to enlarge the volume as well as keeping the machine firm and stable.
- 2. The auger blade was designed lubricant free which could minimize fault rate.
- 3. Grade two reducer equipped which will increase torque output, minimize noise, keep the machine
- stable and extend the durability.
- 4. Electronic timer guarantees well time control of stirring.
- 5. Material outlet was controlled by independent hydraulic pressure so as to control the outlet volume
- optionally.
- 6. The machine was painted with enamel paint which will keep the machine from corrosion.

Description of TMR Mixer For Farm Animal Feeding with Different Capacity:

The ideal TMR Feeding Mixer used for hay, grass and other cow feed; it's widely used in large and medium farming.

TMR Mixer For Farm Animal Feeding Short Points:

A.TMR = Total Mixed Ration

B.Color: Green (other available)

C.Capacity: 5CBM, 7CBM and 9CBM,12CBM,14,CBM,17CBM,21CBM,27CBM

D.Type: fixed feed mixer and mobile feed mixer

Items&Model	HL-9TMR-12	HL-9TMR-14	HL-9TMR-18
Capacity(CBM)	12	14	18
Auger(PCS)	1 PCS	2 PCS	2 PCS
Blade(PCS)	10 PCS	14 PCS	20 PCS
Blade Type	Abrasion Resistance, alloy,saw type	Abrasion Resistance, alloy,saw type	Abrasion Resistance, alloy,saw type
Speed(r/min)	26	26	26
Power(kw)	75	90	100
Weighing System	4 Weighing Sensor LED Digital Display	4 Weighing Sensor LED Digital Display	4 Weighing Sensor LED Digital Display
Observation Desk	Anti-Slip Aluminum Embossing	Anti-Slip Aluminum Embossing	Anti-Slip Aluminum Embossing
Size(LxWxH)(mm)	4500X2160X3110	5460X1860X2480	6060X2160X2710
Weight(kg)	3680	4680	5830

Applications of TMR Mixer For Farm Animal Feeding:

1. Used in cow/cattle dairy farm;

2. Used to mix coarse fodder with other additives;

Competitive Advantage of TMR Mixer For Farm Animal Feeding:

1. After stirring the feed is more fluffy;


- 2.Greatly reduce the chance of caking feed;
- 3.Weighing more accurate;
- 4.Structure is more simple;
- 5. Since auger speed is slow, foe the destruction of small feed

6.Easily handle large round or square bales of hay;

7. Since feed on the barrel sidewall pressure is small, the wear rate is much lower mixer;

8.Facts have proved that 85% of farmers have switched to vertical feed mixers.





0086 13301569240

@ mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China