



Electronic Cattle Vertical Feed Mixer 27 CBM Capacity Trailing Type

Basic Information

- Place of Origin: Jiangsu,China
- Brand Name: HL
- Certification: CE ISO SGS
- Model Number: HL-9TMR-9
- Minimum Order Quantity: 1 Set
- Price: Negotiation
- Packaging Details: Standard Packaging
- Delivery Time: 5-10 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 20 Sets/Month



Product Specification

- Model Number: HL-TMR-27
- Item: 27CBM TMR Mobile Feed Mixer
- Moving Blade: 30 Pcs
- Speed(r/min): 26
- Power(kw): 150
- Size(LxWxH)(mm): 8060X2460X2710
- Weight(kg): 8440
- Color: Green
- Highlight: small tmr mixer, cattle feed mixer



More Images



Product Description

Electronic Cattle Vertical Feed Mixer 27 CBM Capacity Trailing Type

TMR Mixer For Farm Animal Feeding Features:

1. An iron hoop was added on the top of the box to prevent processing materials from overflow so as to enlarge the volume as well as keeping the machine firm and stable.
2. The auger blade was designed lubricant free which could minimize fault rate.
3. Grade two reducer equipped which will increase torque output, minimize noise, keep the machine stable and extend the durability.
4. Electronic timer guarantees well time control of stirring.
5. Material outlet was controlled by independent hydraulic pressure so as to control the outlet volume optionally.
6. The machine was painted with enamel paint which will keep the machine from corrosion.

Description of TMR Mixer For Farm Animal Feeding with Different Capacity:

The ideal TMR Feeding Mixer used for hay, grass and other cow feed; it's widely used in large and medium farming.

TMR Mixer For Farm Animal Feeding Short Points:

- A.TMR = Total Mixed Ration
- B.Color: Green (other available)
- C.Capacity: 5CBM, 7CBM and 9CBM,12CBM,14,CBM,17CBM,21CBM,27CBM
- D.Type: fixed feed mixer and mobile feed mixer

Model Item	HL-9TMR-21	HL-9TMR-27
Capacity(CBM)	21	27
Auger(PCS)	3 PCS	3 PCS
Blade(PCS)	21 PCS	30 PCS
Blade Type	Abrasion Resistance, alloy,saw type	Abrasion Resistance, alloy,saw type
Speed(r/min)	26	26
Power(kw)	120	150
Weighing System	4 Weighing Sensor LED Digital Display	4 Weighing Sensor LED Digital Display
Observation Desk	Anti-Slip Aluminum Embossing	Anti-Slip Aluminum Embossing
Size(LxWxH)(mm)	7160X1860X2460	8060X2460X2710
Weight(kg)	6210	8440

Applications of TMR Mixer For Farm Animal Feeding:

1. Used in cow/cattle dairy farm;
2. Used to mix coarse fodder with other additives;

Competitive Advantage of TMR Mixer For Farm Animal Feeding:

- 1.After stirring the feed is more fluffy;
- 2.Greatly reduce the chance of caking feed;
- 3.Weighing more accurate;
- 4.Structure is more simple;
- 5.Since auger speed is slow, foe the destruction of small feed
- 6.Easily handle large round or square bales of hay;
- 7.Since feed on the barrel sidewall pressure is small, the wear rate is much lower mixer;
- 8.Facts have proved that 85% of farmers have switched to vertical feed mixers.



HAILIAN PACKAGING EQUIPMENT CO.,LTD
Email: sales1@dairymachinery.cc
Mobile: +86 13301568240(Whatsapp/Viber)
Skype: savior.chen2



HAILIAN PACKAGING EQUIPMENT CO.,LTD
Email: sales1@dairymachinery.cc
Mobile: +86 13301568240(Whatsapp/Viber)
Skype: savior.chen2



HAILIAN PACKAGING EQUIPMENT CO.,LTD
Email: sales1@dairymachinery.cc
Mobile: +86 13301568240(Whatsapp/Viber)
Skype: savior.chen2



HAILIAN PACKAGING EQUIPMENT CO.,LTD
Email: sales1@dairymachinery.cc
Mobile: +86 13301568240(Whatsapp/Viber)
Skype: savior.chen2

Contact us:

HAILIAN PACKAGING EQUIPMENT CO., LTD
ZHANGJIAGANG CHUANGPU MACHINERY CO.,LTD

Mr.Savior Chen



EMAIL: sales1@dairymachinery.cc



MOBILE: +86 13301568240(Whatsapp/Viber)



SKYPE: savior.chen2



WECHAT: savior_chen2



QQ: 1003668592



Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China