

HL-M03C-1 Bomatic Milking Machine Claw 340CC for Precise and Consistent Milk Collection

Our Product Introduction

more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: China
- Brand Name: Chuangpu
- Model Number: HL-M03C-1 Bomatic
- Minimum Order Quantity: 1 PCS
- Price: Negotiable
- Packaging Details: Carton
- Delivery Time: 3-5 working days
- Payment Terms: T/T, Western Union,
- Supply Ability: 5000PCS /Month



Product Specification

- Item: Cow Milking Machine Claw
- Claw Type: Four-Prong
- Capacity: 340CC
- Milk Outlet Diameter: 19.8mm
- Claw Base: PSU
- Shut-off Valve: With Valve
- Model: HL-M03C-1 Bomatic
- Air Outlet Dia.: 9.8mm
- Highlight: **Precise Milking Machine Claw, Consistent Milking Machine Claw, 340CC Milking Machine Claw**



More Images



Product Description

Corporate HQ: [CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY\(SUZHOU\) CO.,LTD](#)

Export Dept: [HAILIAN PACKAGING EQUIPMENT CO., LTD](#)

Branch: [Sichuan Gene Haven Animal Husbandry Technology Co.Ltd](#)

EMAIL: nancyzd68@gmail.com
sales2@dairymachinery.cc

MOBILE: +86 133 0156 9240(Wechat/WhatsApp)
OFFICE: +86 512 5890 5953

Product Description:

The Milking Machine Claw is an essential component for any dairy farmer using a cow milking machine. This product features a shut-off valve, providing control and efficiency during the milking process. The liner outlet diameter of 14.6mm ensures compatibility with various milking setups, making it a versatile option for dairy operations.

Constructed with high-quality PSU material, the Milking Machine Claw is durable and reliable for long-term use. Its sturdy design and precise engineering make it a dependable choice for cow milking machine replacement parts. With a capacity of 340CC, this milking cluster is suitable for efficiently handling milk collection during milking sessions.

Designed to optimize milk flow and ensure proper milk extraction, the Milking Machine Claw is a crucial component in the milking process. Its efficient shut-off valve allows for seamless operation and minimal milk spillage, contributing to a more efficient milking routine. The precise liner outlet diameter of 14.6mm plays a key role in maintaining consistent milk flow and maximizing the milking efficiency.

Whether you are setting up a new milking system or replacing worn-out parts, the Milking Machine Claw is a reliable choice for dairy farmers seeking quality and performance. Its compatibility with various cow milking machines makes it a versatile option for different setups, providing flexibility and convenience for dairy operations.

In conclusion, the Milking Machine Claw is a durable, efficient, and versatile component that is essential for optimizing the milking process. With its shut-off valve, 14.6mm liner outlet diameter, PSU cap material, and 340CC capacity, this milking cluster is a reliable choice for cow milking machine replacement parts. Invest in the Milking Machine Claw to enhance your milking system and streamline your dairy operation.

Features:

Product Name: Milking Machine Claw

Capacity: 340CC

Shut-off Valve: With Valve

Claw Type: Four-Prong

Claw Base: PSU

Air Outlet Dia.: 9.8mm

Technical Parameters:

Cap Material	PSU
Liner Outlet Diameter	14.6mm
Range	Cow Milking Machine Replacement Parts
Weight	0.53kg
Air Outlet Dia.	9.8mm
Claw Base	PSU
Item	Cow Milking Machine Claw
Shut-off Valve	With Valve
Milk Outlet Diameter	19.8mm
Model	HL-M03C-1 Bomatic

Applications:

The **Chuangpu Cow Milking Machine Claw** (Model: HL-M03C-1 Bomatic) is a high-quality product originating from China. Designed with a Liner Outlet Diameter of 14.6mm and a Claw Base made of PSU, this suction claw for cattle is a reliable tool for efficient milking processes.

With a weight of 0.53kg, the **Chuangpu Milking Machine Claw** is suitable for various product application occasions and scenarios. Below are some key scenarios where this milking claw for cows can be effectively utilized:

1. Dairy Farms: The Chuangpu Milking Machine Claw is ideal for use in dairy farms of all sizes. Its efficient design and reliable suction

make it a valuable tool for milking operations.

2. Agricultural Shows: When showcasing cattle at agricultural shows, the Milking Machine Claw can be used to demonstrate proper milking techniques and efficiency to spectators.

3. Educational Institutions: Agricultural schools and training centers can benefit from using the Milking Machine Claw to teach students about the importance of proper milking equipment and techniques.

4. Veterinary Clinics: Veterinarians can utilize the Milking Machine Claw for extracting milk samples from cows for testing purposes. Its precise design ensures accurate results.

Overall, the **Chuangpu Milking Machine Claw** (Model: HL-M03C-1 Bomatic) is a versatile and durable product suitable for a range of milking applications. Whether on a dairy farm, at an agricultural show, in an educational setting, or at a veterinary clinic, this suction claw for cattle proves to be a reliable tool for efficient milking processes.

Bomatic series

340CC Milk Claw

Model: HL-M03C

Capacity: 340CC

Material: PSU

Base: Plastic

Applicable: COW

Milk Outlet Dia: 22.5mm

Liner Outlet Dia: 16mm

Weight: 0.37kg

Packing: carton



Model: HL-M03C-1

Capacity: 340CC

Material: PSU

Applicable: COW

Milk Outlet Dia: 19.8mm

Liner Outlet Dia: 14.6mm

Air Outlet Dia: 9.8mm

Weight: 0.53kg

Packing: carton



Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China