

21mm Outlet Diameter 300CC Milking Machine Claw For Milk Rite Long-lasting Performance

Our Product Introduction

more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: China
- Brand Name: Chuangpu
- Model Number: HL-M03D-3
- Minimum Order Quantity: 1 PCS
- Price: Negotiable
- Packaging Details: Carton
- Delivery Time: 3-5 working days
- Payment Terms: T/T, Western Union,
- Supply Ability: 5000PCS /Month



Product Specification

- Cap Material: PSU
- Air Outlet Dia.: 9.9mm
- Item: Cow Milking Machine Claw
- Shut-off Valve: Without Valve
- Reference Brand: Milk-rite
- Capacity: 300CC
- Milk Outlet Diameter: 21mm
- Claw Base: PSU
- Highlight: **21mm Milking Machine Claw,
Long lasting Performance Milking Machine Claw
, 300CC Milking Machine Claw**

Product Description

Corporate HQ: [CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY\(SUZHOU\) CO.,LTD](#)

Export Dept: [HAILIAN PACKAGING EQUIPMENT CO., LTD](#)

Branch: [Sichuan Gene Haven Animal Husbandry Technology Co.Ltd](#)

EMAIL: nancyzd68@gmail.com

sales2@dairymachinery.cc

MOBILE: +86 133 0156 9240(Wechat/WhatsApp)

OFFICE: +86 512 5890 5953

Product Description:

The HL-M03D-3 Cow Milk Machine Claw is meticulously engineered with precision and care, ensuring optimal performance and durability. With a Milk Outlet Diameter of 21mm, this claw assembly is designed to handle high volumes of milk with ease, making it ideal for large-scale dairy farms.

One of the standout features of this cow milking claw assembly is its Four-Prong Claw Type, which provides a secure and gentle grip on the cow's teats during the milking process. This design helps to minimize stress on the cow and ensures efficient milk flow, resulting in a more comfortable and effective milking experience.

Furthermore, the HL-M03D-3 is equipped with a Liner Outlet Diameter of 13.5mm, allowing for smooth and consistent milk extraction. The precision engineering of this component ensures that each teat is properly stimulated and milked, maximizing milk yield and quality.

In addition, the Air Outlet Dia. of 9.9mm enables efficient air flow within the milking claw, helping to maintain proper vacuum levels and optimize milking performance. This feature is crucial for ensuring thorough and hygienic milking operations, resulting in high-quality milk production.

Overall, the HL-M03D-3 Cow Milking Claw Assembly is a superior product that combines cutting-edge technology with reliable performance. Whether you are a small-scale dairy farmer or a large commercial operation, this milking claw assembly is sure to meet your needs and exceed your expectations.

Invest in the HL-M03D-3 Cow Milk Machine Claw today and experience the difference it can make in your dairy operation. Say goodbye to inefficient milking processes and hello to increased productivity and profitability with this exceptional cow milking claw assembly.

Features:

Product Name: Milking Machine Claw

Range: Cow Milking Machine Replacement Parts

Reference Brand: Milk-rite

Liner Outlet Diameter: 13.5mm

Shut-off Valve: Without Valve

Cap Material: PSU

Technical Parameters:

Model	HL-M03D-3
Capacity	300CC
Liner Outlet Diameter	13.5mm
Cap Material	PSU
Item	Cow Milking Machine Claw
Weight	0.39kg
Air Outlet Dia.	9.9mm
Milk Outlet Diameter	21mm
Range	Cow Milking Machine Replacement Parts
Claw Type	Four-Prong

Applications:

The Chuangpu HL-M03D-3 Cow Milking Machine Claw is a crucial component in the dairy industry, specifically designed for cow milking machine replacement parts. Weighing only 0.39kg, this milk collector is lightweight and easy to handle, making it suitable for various milking scenarios.

One of the primary product application occasions for the HL-M03D-3 is in dairy farms or milk processing plants where a reliable and efficient cow milking claw assembly is essential. The suction claw for cattle is designed to accommodate a capacity of 300CC, ensuring optimal milk collection during the milking process.

Whether in small-scale dairy operations or large commercial farms, the Chuangpu Cow Milking Machine Claw offers versatility and durability. Farmers can rely on this product to streamline their milking operations and ensure high milk quality.

Furthermore, the HL-M03D-3 is ideal for use during milking demonstrations or training sessions, allowing farmers and agricultural students to learn about the intricate process of milking cows effectively. Its user-friendly design and compatibility with various milking machines make it a valuable tool in educational settings.

With its origin in China, the Chuangpu Cow Milking Machine Claw, model HL-M03D-3, is a trusted product in the dairy industry. Whether used as a replacement part or as an essential component in a new milking setup, this suction claw for cattle meets the demands of modern milking practices.

Milk rite Series

300CC Milk Claw



With shut-off valve

Model: HL-M03D -2 **Milk Outlet Dia:** 21mm
Capacity: 300CC **Liner Outlet Dia:** 13.5mm
Material: PSU **Air Outlet Dia:** 9.9mm
Applicable: COW **Weight:** 0.42kg
Packing: carton

2 types milk outlet

With out shut-off valve

Model: HL-M03D -3 **Milk Outlet Dia:** 21mm
Capacity: 300CC **Liner Outlet Dia:** 13.5mm
Material: PSU **Air Outlet Dia:** 9.9mm
Applicable: COW **Weight:** 0.39kg
Packing: carton



2 types milk outlet



Hailian Packaging Equipment Co.,Ltd

☎ 0086 13301569240

✉ sales2@dairymachinery.cc

🌐 mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China