

China

Chuangpu

HL-V550

One Set

Milking Made Effortless 550L Rotary Vacuum Pump Ultimate Pressure≤90Mpa

Basic Information

- Place of Origin:
- Brand Name:
- Model Number:
- Minimum Order
 Quantity:
- Price: Negotiable
- Packaging Details: Wooden Case
- Delivery Time: 3-5 working days
- Payment Terms: T/T, Western Union,
- Supply Ability: 500SETS/Month



রাগ

Product Specification

Noise:	≤50Db(A)
Pump Vane Size:	110x55x6mm
Motor Power:	2.2Kw
Name:	550L Rotary Vacuum Pump
Speed:	1440r/min
Volume:	550L
Material:	Iron
Ultimate Pressure:	≤90Mpa
Highlight:	550L Milking Vacuum Pump, 90Mpa Milking Vacuum Pump, Effortless Rotary Milking Vacuum Pump



More Images



Product Description

Corporate HQ: CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY(SUZHOU) CO., LTD

Export Dept: ZHANGJIAGANG FANRS MACHINERY CO.,LTD. Branch: Sichuan Gene Haven Animal Husbandry Technology Co.Ltd

EMAIL: nancyzxd68@gmail.com sales2@dairymachinery.cc

MOBILE: +86 133 0156 9240(Wechat/WhatsApp) OFFICE: +86 512 5890 5953

Product Description:

The Milking Vacuum Pump model HL-V550 is a powerful and robust liquid vacuum suction pump that operates at a speed of 1440r/min. With its high speed and precision engineering, this vacuum pump provides consistent and reliable suction power to meet the demands of milking operations.

Weighing in at 35kg, the Milking Vacuum Pump is lightweight and easy to handle, making it convenient to transport and install. Despite its compact size, this pump delivers exceptional performance and efficiency, making it a valuable asset for dairy farmers and milk processing facilities.

Designed for ease of use and maintenance, the Milking Vacuum Pump is equipped with quality components that ensure long-lasting durability and performance. Its efficient design minimizes energy consumption while maximizing suction power, making it a cost-effective solution for milking operations.

Whether used in small-scale dairy farms or large milk processing plants, the Milking Vacuum Pump delivers consistent and reliable performance to meet the needs of the dairy industry. Its delivery port in Shanghai Port enables convenient shipping and delivery to various locations, ensuring prompt access to this essential equipment.

In addition to its primary application in milking machines, the Milking Vacuum Pump can also be used for other purposes such as liquid vacuum suction pump and oil vacuum pump applications. Its versatile functionality and reliable performance make it a versatile tool for various industrial and agricultural applications.

Overall, the Milking Vacuum Pump model HL-V550 is a high-speed, lightweight, and efficient liquid vacuum suction pump that is designed to meet the demanding requirements of milking operations. With its durable construction, reliable performance, and convenient delivery options, this vacuum pump is a valuable asset for dairy farmers and milk processing facilities.

Features:

Product Name: Milking Vacuum Pump Delivery Port: Shanghai Port Name: 550L Rotary Vacuum Pump Application: Delaval Milking Machine Weight: 35kg Noise: ≤50Db(A)

Technical Parameters:

Attribute	Value
Vacuum Degree	50Kpa
Model	HL-V550
Name	550L Rotary Vacuum Pump
Ultimate Pressure	≤90Mpa
Motor Power	2.2Kw
Noise	≤50Db(A)
Pump Vane Size	110x55x6mm
Material	Iron
Delivery Port	Shanghai Port
Speed	1440r/min

Applications:

One primary application for the HL-V550 is in the dairy industry, specifically with Delaval Milking Machines. This vacuum cleaning pump is essential for maintaining a smooth and efficient milking process, ensuring the comfort and health of the animals being milked.

Weighing just 35kg, the HL-V550 is a lightweight yet durable machine that can easily be transported and used in different locations. Its ultimate pressure of ≤90Mpa and vacuum degree of 50Kpa make it a high-performance dry vacuum pump that can handle demanding milking tasks with ease.

Whether you are operating a small-scale dairy farm or a large commercial operation, the Chuangpu HL-V550 Milking Vacuum Pump is a valuable asset to have. Its reliability and efficiency make it suitable for a wide range of milking occasions and scenarios, ensuring smooth operations and optimal milk production.



Product parameters

Model	HL-V250	HL-V300	HL-V550	HL-V850	HL-V1500	HL-V2100	HL-VD250		
Capacity (L/min)	250	300	550	850	1500	2100	250		
Speed (r/min)	1440	1440	1440	1440	1440	1440	1400		
Vacuum Degree	50 Kpa								
Noise (Db(A))	≤50	≤50	≤60	≤70	≤70	≤70	≤50		
Ultimate Vacuum				Chuang	Pu				
Motor Power(kw)	1.1	1.1	2.2	3	4	5.5	0.75	1.1	
Weight(kg)	13.5	14	31	36	57.5	69.5	23	26	
Size(L×W×H) (cm)	23*22*22	23*22*22	28*27*22	30*22*22	43*23*23	39*29*29	39*24*24	42*24*2	

Par Hailian Packaging Equipment Co.,Ltd

0086 13301569240

sales2@dairymachinery.cc

@ mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China