

13.5mm Outer Diameter Milk Machine Vacuum Tube For Smooth And Consistent Milking Performance

Our Product Introduction

more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: China
- Brand Name: Chuangpu
- Model Number: HL-MP35A
- Minimum Order Quantity: 1 Roll
- Price: Negotiable
- Packaging Details: Beaded Bag
- Delivery Time: 3-5 working days
- Payment Terms: T/T, Western Union,
- Supply Ability: 5000 Roll/Month



Product Specification

- Features: Flexible, Durable, Non-toxic
- Name: Twin Rubber Pulse Tubing
- Outer Diameter: 13.5mm
- Working Pressure: Milking With 0.4-0.5MPa
- Color: Black
- Length: 50 Meters For Each Roll
- Temperature Range: -40°C To 120°C
- Model: HL-MP35A
- Highlight: Consistent Milking Machine Vacuum Tube, Smooth Milking Machine Vacuum Tube, 13.5mm Milking Machine Vacuum Tube



More Images



Product Description

Corporate HQ: [CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY\(SUZHOU\) CO.,LTD](#)

Export Dept: [HAILIAN PACKAGING EQUIPMENT CO., LTD](#)

Branch: [Sichuan Gene Haven Animal Husbandry Technology Co.Ltd](#)

EMAIL: nancyzxd68@gmail.com
sales2@dairymachinery.cc

MOBILE: +86 133 0156 9240(Wechat/WhatsApp)
OFFICE: +86 512 5890 5953

Product Description:

The Twin Rubber Pulse Tubing is a high-quality Vacuum Milker Tube designed for use in milking machines. With an inner diameter of 7.5mm and an outer diameter of 13.5mm, this Milk Machine Tube is specifically crafted to deliver optimal performance and efficiency in milking operations.

One of the key features of this Pulse Tube is its flexibility, which allows for easy installation and maneuverability within the milking machine system. The durable rubber material ensures long-lasting use, making it a reliable component for daily milking tasks.

Additionally, the non-toxic nature of the tubing guarantees the safety and quality of the milk produced.

Whether you are a small-scale dairy farmer or a commercial milk producer, the Twin Rubber Pulse Tubing is a versatile and essential component for your milking machine. Its compatibility with vacuum delivery systems makes it suitable for a wide range of milking setups, providing consistent and efficient performance with every use.

When it comes to milking equipment, having the right components can make all the difference in the quality and efficiency of your operations. The Pulse Tube plays a crucial role in ensuring proper vacuum delivery during the milking process, helping to maintain a steady flow of milk and optimize milk production.

Investing in high-quality milking machine tubing like the Twin Rubber Pulse Tubing can have a significant impact on the overall performance and productivity of your dairy operation. With its durable construction and reliable design, this product offers a cost-effective solution for your milking equipment needs.

Whether you are looking to upgrade your existing milking machine setup or are in need of replacement tubing, the Twin Rubber Pulse Tubing is a top choice for dairy farmers and milk producers. Its versatility, durability, and performance make it a valuable addition to any milking operation.

Experience the benefits of superior milking machine tubing with the Twin Rubber Pulse Tubing. Enhance the efficiency and reliability of your milking process with this high-quality product designed for vacuum delivery systems. Invest in the best for your dairy operation and see the difference it can make in your milk production.

Features:

Product Name: Milking Machine Tube

Length: 50 Meters For Each Roll

Outer Diameter: 13.5mm

Features:

Flexible

Durable

Non-toxic

Color: Black

Application: Milking Machine, Dairy Farm

Technical Parameters:

Technical Parameter	Value
Working Pressure	Milking With 0.4-0.5MPa
Inner Diameter	7.5mm
Length	50 Meters For Each Roll
Features	Flexible, Durable, Non-toxic
Material	Food-grade Rubber
Name	Twin Rubber Pulse Tubing
Temperature Range	-40°C To 120°C
Usage	For Vacuum Delivery
Application	Milking Machine, Dairy Farm
Outer Diameter	13.5mm

Applications:

The Milking Machine Tube by Chuangpu, model HL-MP35A, is a versatile product designed for various applications in the dairy industry. Originating from China, this vacuum tubing is an essential component for milking devices, ensuring efficient and hygienic milk extraction processes.

With a working pressure suitable for milking operations ranging from 0.4 to 0.5MPa, this Milk Machine Tube is capable of withstanding demanding conditions. Its temperature range of -40°C to 120°C makes it ideal for use in a wide range of environments, providing reliability and durability.

The Chuangpu HL-MP35A tubing is crafted from food-grade rubber, guaranteeing safety and non-toxicity for both the milk and the milking equipment. Its flexible nature allows for easy installation and manipulation, while its durable construction ensures long-lasting performance even under heavy usage.

Whether in large-scale dairy farms or small-scale operations, this Milking Machine Tube is suitable for various occasions and scenarios. It can be used in milking parlors, milk processing plants, or even on mobile milking units, adapting to different setups and configurations with ease.

Overall, the Chuangpu HL-MP35A vacuum tubing is a reliable and efficient solution for dairy farmers and milk producers looking to enhance their milking processes. Its quality materials, flexible design, and durability make it a valuable asset for any milking operation, providing peace of mind and optimal performance.



Hailian Packaging Equipment Co.,Ltd

☎ 0086 13301569240

✉ sales2@dairymachinery.cc

🌐 mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China