

Farm Equipment Cow Dehorning Tools for 220V/50Hz Voltage and Resistance to Rust And Corrosion

Our Product Introduction

more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: China
- Brand Name: Chuangpu
- Model Number: HL-Q15A
- Minimum Order Quantity: One Set
- Price: Negotiable
- Packaging Details: Carton
- Delivery Time: 7-10 working days
- Payment Terms: T/T, Western Union,
- Supply Ability: 500SETS/Month




Product Specification

- Function: Remove The Horns From (an Animal)
- Voltage: 220V/50Hz
- Power: 1700W
- Material: Steel
- Grinder: Leiya
- Safety: Yes
- Blade Dia.: 220mm
- Packing: Carton
- Highlight: 220V cow dehorning tool,
rust-resistant dehorning equipment,
50Hz farm dehorning tool



More Images



Product Description

Corporate HQ: [CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY\(SUZHOU\) CO.,LTD](#)

Export Dept: [HAILIAN PACKAGING EQUIPMENT CO., LTD](#)

Branch: [Sichuan Gene Haven Animal Husbandry Technology Co.Ltd](#)

EMAIL: nancyzd68@gmail.com
sales2@dairymachinery.cc

MOBILE: +86 133 0156 9240(Wechat/WhatsApp)
OFFICE: +86 512 5890 5953

Product Description:

The Dehorning Tools are essential instruments designed for removing the horns from cattle, making the process of horn debudding more efficient and less stressful for the animals. With a rotating speed of 8500r/min, these cattle dehorning equipment ensure quick and precise removal of the horns.

Constructed with materials that offer high resistance to rust and corrosion, these livestock horn removal devices are durable and reliable for long-term use. The voltage requirement of 220V/50Hz ensures compatibility with standard power sources, making them suitable for use in various settings.

Dehorning is a common practice in the livestock industry, especially for cows, to prevent injuries and improve overall safety during handling. These dehorning tools provide a humane and effective solution for farmers and veterinarians to manage horn growth in cattle.

Features:

Product Name: Dehorning Tools

Resistance: Rust And Corrosion

Grinder: Leiya

Usage: Dehorning

Type: Electric Cutting

Voltage: 220V/50Hz

Technical Parameters:

| | |
|----------------|-----------------------------------|
| Safety | Yes |
| Grinder | Leiya |
| Feature | 1 Second Corner Removal |
| Voltage | 220V/50Hz |
| Packing | Carton |
| Rotating Speed | 8500r/Min |
| Weight | 7.36Kg |
| Material | Steel |
| Function | Remove The Horns From (an Animal) |
| Power | 1700W |

Applications:

The Chuangpu HL-Q15A Dehorning Tools are essential Bovine Horn Disbudding Devices designed for safely and effectively removing the horns of cows. This innovative tool, originating from China, operates at a voltage of 220V/50Hz and boasts a rotating speed of 8500r/Min, ensuring efficient dehorning operations.

These Cow Dehorning Supplies are ideal for a variety of product application occasions and scenarios. Farmers and ranchers can utilize the Chuangpu HL-Q15A Dehorning Tools during routine dehorning procedures to enhance the safety and well-being of their livestock.

The tools are suitable for use in dairy farms, cattle ranches, and other agricultural settings where cow dehorning is necessary.

One of the standout features of the Chuangpu HL-Q15A Dehorning Tools is their emphasis on safety. With built-in safety mechanisms and a user-friendly design, these tools prioritize the welfare of the animals and the operators alike. The tools come packaged in sturdy cartons to ensure secure transportation and storage.

STYLE 1:HL-Q15A

REMOVING HORN PREVENTS COW FROM GETTING HURT IN FIGHTS, ESPECIALLY THE BREAST PART IS NOT GORED BY THE FOLLOWING COW HORN. THE COWS AFTER DEHORNING ARE QUIETER AND EASIER TO MANAGE.

Model
HL-Q15A

Voltage
220V/50HZ

Power
1700W


Material
Steel

Rotating speed
8500RPM/MIN

Blade diameter
220MM

Power cord length
2.25M

Weight
7.36KG



Packing weight: 11KG





Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China