



3 Buckets 25L Electric Cow Milking Machine with 2.2kw-5.5kw Power and Milking Vacuum Pump

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Basic Information

- Certification: ISO9001:2008, CE
- Minimum Order Quantity: 1
- Price: 1000



Product Specification

- Model NO.: HL-JN10
- Power Source: Electric
- Power: 2.2kw-5.5kw
- Stainless Bucket: 25L
- Motor Speed: 1440 Rpm/Min
- Working Vacuum: 50kpa
- Milking Time: 5-6cows/Min
- Pulsator Frequency: 60-80 Times Per Minutes
- Voltage: 240V / 50-60Hz
- Pump Capacity: 550L, 850L, 1500L
- Bucket Quantities: 1pcs To 10pcs
- Milking Cluster: 1 Set To 10sets
- Worker Capacity: 1 Or More
- Transparent Bucket: 25L, 32L
- Production Capacity: 200 Sets/Month



Product Description

3 Buckets Milking Machine with Milking Vacuum Pump

Applications

- Suitable for cows, goats and sheep
- Ideal for dairy farms and household use
- Perfect for international retailers
- Requires annual spare parts replacement

Competitive Advantages

- Portable milking equipment for cows, goats and sheep
- Easy to move and operate
- Customizable voltage to meet different requirements
- Includes one year warranty and lifetime technical support

Product Description

The HL-JN10 Cow Milking Machine is a portable milking system with stainless steel buckets. It includes milking units (bucket, liner, teat cup shell, claw, pulsator) and a 250L vacuum pump with oil pot, silencer, belt, and pulley.

This mobile milking machine can be used for cows, goats and sheep by changing the milking cluster group. The system supports 1 to 16 milking buckets, with milking times of 5-6 minutes per cow (shorter for goats). Ideal for small barns and breeding farms, it allows one worker to operate 6-8 buckets simultaneously.

The machine can be powered by electric motor, diesel or gasoline engine, ensuring operation during power outages. Transparent milk buckets (25L or 32L) with measurement scales are available as alternatives.

Specifications

Model	HL-JN10
Item	Pail Cow Milking Machine
Milking Time	5-6 min/cow
Pulsator Frequency	60-80 times per minute
Voltage	240V / 50-60Hz
Power	2.2kw to 5.5kw
Pump Capacity	550L, 850L, 1500L
Bucket Quantities	1-10 pcs (expandable)
Milking Cluster Group	1-10 sets
Worker Requirement	1 or more
Usage	Dairy cow farms

Key Features

- Portable pail milking machine for dairy cows
- 240V voltage, 50-60Hz operation
- Includes technical support

For More Information

HAILIAN PACKAGING EQUIPMENT CO., LTD
ZHANGJIAGANG CHUANGPU MACHINERY CO.,LTD

Contact: Mr. Savior Chen

Mobile: +86 13301568240 (WhatsApp/Viber)



Chuangpu Animal Husbandry Technology (Suzhou) Co., Ltd.



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China