

HL-JN11-Cust Single Bucket Electric Milking Machine for Cow with 25 Litre Milk Bucket and 5-8 Cows Per Hour Capacity

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: Jiangsu, China
- Minimum Order Quantity: 5
- Price: CN¥1,887.44



Product Specification

- Voltage: 110V/60Hz Or 220V/50Hz
- Dimension: 660*380*690mm
- Weight: 95kg
- Milk Bucket: 25 Litre
- Milking Time: 5-8 Cows Per Hour
- Speed: 1440rpm
- Power: 550w
- Vacuum Degree: 0.04-Mpa - 0.05Mpa
- Motor Power: 0.55Kw
- Speed (r/min): 1680r/min
- Core Components: Pump, Motor
- Packaging: Wooden
- Model: HL-JN11-Cust
- Animal Type: Cow Goat
- Noise Level: Low



More Images



Product Description

HL-JN11-Cust Single Bucket Electric Milking Machine for Cow

Product Specifications

Model	HL-JN11-Cust
Animal Compatibility	Cow, Goat
Vacuum Degree	0.04 MPa - 0.05 MPa
Voltage & Power	110V/60Hz or 220V/50Hz - 0.55Kw
Milking Capacity	5-8 cows per hour
Milk Bucket Capacity	25 litre
Motor Speed	1680 rpm
Gross Weight	95 kg
Packaging	Wooden Crate

Note: If voltage is not 220V/50Hz, there is USD\$25.00 extra cost for special motor.

Product Images

PRODUCT DESCRIPTION

IT IS HUNG ON THE SHOULDER OF THE COW OR THE ROOT OF THE HIND LEG TO PREVENT THE UNSCRUPULOUS COW KICKER FROM CAUSING HARM TO THE BREEDER AND FACILITATING THE WORK OF THE BREEDER.

Durable Material: The 25L electric cow milking machine adopts stainless steel construction ensures minimum maintenance as well as maximum hygiene. The milking machine is designed with the food-grade bucket and rubber air hose, is easy to operate and maintain, more suitable for small farms.



Operating Vacuum Degree: 0.04~0.05MPa(adjustable)

Electric Motor Voltage: 110V /220V

Power Fitted: 0.55KW

chuangpujx.en.alibaba.com

Motor Speed: 1680 rmp

Pulsation Rate: 60:40

Bucket Capacity: 6.6 Gal/ 25 L

Milking Cluster: 1 Set

25L ELECTRIC MILKING MACHINE

PERFECT FOR: COWS WORKING EFFICIENCY:
5-8 COWS/HOUR



Durable Material



Save time and effort



Low noise



PRODUCT FEATURES

IT IS HUNG ON THE SHOULDER OF THE COW OR THE ROOT OF THE HIND LEG TO PREVENT THE UNSCRUPULOUS COW KICKER FROM CAUSING HARM TO THE BREEDER AND FACILITATING THE WORK OF THE BREEDER.



Stainless Steel Milk Bucket

This 25L stainless steel milking machine is designed with a food-grade bucket and rubber air hose for maximum safety and hygiene.



Milk Sucking Head

This stainless steel milk sucking head is specially designed for cow; its inner surfaces are very smooth and don't hurt cow's teat.



Movable Wheels & Handle

Movable Wheels & Handle

The milking machine is designed with large heavy-duty wheels and a movable handle, easy to move around, labor and time-saving.

Usage and Function

Complete portable milking system includes pulsator, cluster, stainless steel milking cups, pulsator pipes, rubber milking liners, milking tubes, and stainless steel milk bucket

Advanced vacuum system with light vacuum pump, auto-stop vacuum valve, muffler, vacuum pot, vacuum manostat, vacuum ball-valve, and vacuum gauge

Flexible solution suitable for various farming operations

Key Features

- Robust construction for easy maintenance
- Easy to manoeuvre and operate
- Large heavy-duty wheels for easy movement around the farm
- Few robust parts for low service and maintenance requirements
- Available in goat milking machine configuration
- Single and double bucket options available
- Low noise operation to prevent livestock disturbance

Additional Information

All models available for cow, goat, buffalo, and other livestock with appropriate milk shell groups

Available with transparent, plastic, or aluminum bucket options

Pricing and Quotation

Pricing based on FOB China Port

CNF or CIF Destination pricing available upon request

Packaging: Export wooden crate

Payment Terms

50% deposit upon signing sales contract and commercial pro-forma invoice

Balance 50% payment by advance bank wire transfer before delivery

Goods released to shipping agent upon complete payment receipt

Delivery within 15 days from deposit receipt (earlier if available)

Quotation validity: 30 days



Chuangpu Animal Husbandry Technology (Suzhou) Co., Ltd.

 0086 13301569240

 sales2@dairymachinery.cc

 mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China