

## Milking Parlor Cylinder Rope for Automatic Cup Remover Systems Ensuring Operation

Our Product Introduction

more products please visit us on [mobilemilkingmachine.com](http://mobilemilkingmachine.com)

### Basic Information

- Place of Origin: China
- Brand Name: Chuangpu
- Model Number: HL-P10E-2
- Minimum Order Quantity: 1 Roll
- Price: Negotiable
- Packaging Details: Carton
- Delivery Time: 7-10 working days
- Payment Terms: T/T, Western Union, Paypal
- Supply Ability: 5000 Roll/Month



### Product Specification

- Length: 50M/ROLL
- Diameter: 4.7mm
- Material: UHMWPE
- Used For: GEA Rotary Milking Machines' Automatic Cup Remover Systems
- Product Name: Milking Parlor Cylinder Rope
- Easy To Install: Yes
- Range: Milking Machine Parts
- Country Of Origin: Made In China



## Product Description

**Corporate HQ:** [CHUANGPU ANIMAL HUSBANDRY TECHNOLOGY\(SUZHOU\) CO.,LTD](#)

**Export Dept:** [HAILIAN PACKAGING EQUIPMENT CO., LTD](#)

**Branch:** [Sichuan Gene Haven Animal Husbandry Technology Co.Ltd](#)

EMAIL: [nancyzd68@gmail.com](mailto:nancyzd68@gmail.com)

[sales2@dairymachinery.cc](mailto:sales2@dairymachinery.cc)

MOBILE: +86 133 0156 9240(Wechat/WhatsApp)

OFFICE: +86 512 5890 5953

### Product Description:

The Milking Parlor Cylinder Rope is an essential component designed specifically for efficient and reliable use in livestock milking operations. Manufactured with precision and care, this product is an indispensable part of any modern milking parlor setup, ensuring smooth and uninterrupted barnyard milk collection processes. Made in China, the Milking Parlor Cylinder Rope combines quality craftsmanship with affordability, making it a preferred choice for dairy farmers and agricultural professionals worldwide.

One of the standout features of this milking parlor part is its diameter of 4.7mm, which provides the perfect balance between strength and flexibility. This thickness ensures that the rope maintains durability under regular use while being flexible enough to facilitate easy handling during installation and operation. The rope's design caters specifically to the rigorous demands of bovine milking contrivances, where reliability and resilience are crucial to maintaining the integrity of the milking process.

Measuring 50 meters per roll, the Milking Parlor Cylinder Rope offers ample length for various applications within the milking parlor environment. This generous length allows for customization and adaptability, whether the rope is being used to replace worn components or to create new assemblies within livestock milking components. The 50-meter roll length also provides convenience and reduces the need for frequent reordering, saving time and effort for dairy farm operators.

Ease of installation is another significant advantage of this product. The Milking Parlor Cylinder Rope is designed for straightforward setup, enabling farm workers to quickly replace or install the rope without the need for specialized tools or extensive technical knowledge. This user-friendly aspect of the product minimizes downtime during maintenance and enhances overall operational efficiency within the barnyard milk collection system.

As a key part of livestock milking components, the Milking Parlor Cylinder Rope helps maintain the smooth functioning of milking machines and related equipment. Its robust construction ensures that it can withstand the stresses encountered during daily milking routines while resisting wear and tear caused by environmental factors often present in agricultural settings. This durability translates to a longer lifespan, reducing replacement frequency and contributing to cost savings over time.

In the context of bovine milking contrivances, the role of the Milking Parlor Cylinder Rope is vital. It supports the mechanical components that facilitate the extraction and transfer of milk from dairy cows, playing a crucial part in maintaining hygiene and efficiency throughout the milking process. Reliable performance of this rope ensures that milk flows smoothly and consistently, which is essential for high-quality milk production and overall dairy farm productivity.

Furthermore, the Milking Parlor Cylinder Rope's origin from China underscores the global nature of agricultural supply chains and the availability of high-quality milking parlor parts from international manufacturers. This product meets stringent quality standards and is designed to integrate seamlessly with a variety of milking systems used worldwide, making it a versatile and dependable choice for barnyard milk collection operations.

In summary, the Milking Parlor Cylinder Rope is a vital livestock milking component that combines durability, ease of installation, and optimal specifications such as a 4.7mm diameter and a 50-meter length per roll. Made in China, this product supports efficient bovine milking contrivances and enhances the overall productivity and reliability of barnyard milk collection processes. Dairy farmers and agricultural professionals seeking dependable, high-quality milking parlor parts will find this cylinder rope an excellent addition to their milking equipment inventory.

### Features:

Product Name: Milking Parlor Parts

Diameter: 4.7mm

Material: Durable UHMWPE

Country of Origin: Made in China

Easy to Install: Yes

Designed for use with GEA Rotary Milking Machines' Automatic Cup Remover Systems

Essential component of cattle milking apparatus

Ideal for udder maintenance tools ensuring efficient milking process

High-quality part enhancing the performance of cattle milking apparatus

### Technical Parameters:

Product Name	Milking Parlor Cylinder Rope
Diameter	4.7mm
Length	50M/ROLL
Material	UHMWPE
Used For	GEA Rotary Milking Machines' Automatic Cup Remover Systems

Easy To Install	Yes
Country of Origin	Made In China
Range	Milking Machine Parts

### Applications:

The Chuangpu Milking Parlor Cylinder Rope, model number HL-P10E-2, is an essential component designed specifically for GEA Rotary Milking Machines' Automatic Cup Remover Systems. Manufactured in China, this durable rope has a precise diameter of 4.7mm, making it an ideal fit for seamless integration with dairy operation equipment. As a vital livestock milking component, it plays a crucial role in ensuring efficient and smooth milking processes in modern dairy farms.

This product is widely used in various dairy operation settings where automation and reliability are paramount. The Milking Parlor Cylinder Rope is particularly suited for rotary milking parlors, which demand high-performance parts to maintain continuous and uninterrupted milking cycles. Its robust construction ensures long-lasting service life, reducing downtime and maintenance needs in busy milking parlors. This reliability makes it a preferred choice for dairy farmers who prioritize productivity and animal comfort.

In addition to its role in the milking machine system, the Chuangpu HL-P10E-2 rope contributes significantly to udder maintenance tools by facilitating the gentle and automatic removal of milking cups. This function helps minimize stress on the livestock, promoting better udder health and preventing injuries caused by manual handling. By integrating this component into milking parlors, dairy operators can enhance animal welfare while optimizing milking efficiency.

One of the standout features of this product is its ease of installation. Designed for quick and hassle-free replacement, the Milking Parlor Cylinder Rope allows dairy workers to perform maintenance with minimal disruption to their daily routines. This user-friendly aspect is especially valuable in large-scale dairy operations where time management and operational continuity are critical.

Overall, Chuangpu's HL-P10E-2 Milking Parlor Cylinder Rope is a high-quality part that supports advanced livestock milking components and contributes to the smooth operation of GEA Rotary Milking Machines. It is an indispensable tool for any dairy farm aiming to improve milking efficiency, ensure animal comfort, and maintain optimal udder health through reliable and easy-to-install dairy operation equipment.

### Product Parameters:

Name: Cylinder Rope

Diameter: 4.7 mm Material: Dyneema (UHMWPE)

Features: Compatible with GEA cylinders



Chuangpu Animal Husbandry Technology (Suzhou) Co., Ltd.



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China