

## Convenient Labor Saving Pushing Up Silage Loader / Silo Loader

### Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: HL
- Certification: CE ISO SGS
- Model Number: HL-Q5000
- Minimum Order Quantity: 1 Set
- Price: Negotiation
- Packaging Details: Standard Packaging
- Delivery Time: 5-10 Working Days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 20 Sets/Month




### Product Specification

- Model Number: HL-Q5000
- Item: Silage Loader For Sale , Grass Feed Loading Machine
- Feed/Silage Loading Height: 5000mm
- Feed/Silage Loading Revolving Speed: 210r/min
- Quantity Of Taking Blades: 84 Pcs
- Walking Speed: 5KM/Hour
- Highlight: small tnr mixer, vertical feed mixer



### More Images



## Product Description

### Convenient Labor Saving Pushing Up Silage Loader / Silo Loader

#### Parameters of Convenient and Labor Saving Pushing Up Silage Loader / Silo Loader :

Model	HL-Q5000
Feed/Silage Loading Height	5000mm
Feed/Silage Loading Revolving Speed	210r/min
Feed/Silage Loading Power	7.5KW
Quantity of Taking Blades	84 pcs
Hydraulic Power	5.5KW
Walking Speed	5KM/Hour
Walking Type	Hydraulic Motor + Different Speed Drive Axle
Transferring Type	Hydraulic Motor + Chain
Turning Type	Hydro-cylinder + Swinging Steering Axle
Lifting Type	Hydro-cylinder
Tyre Model	Front Tyre:650-16    Back Tyre:550-16
Operating and Control Type	Handle Button Switch
Dimension(L*W*H)	5750*1600*3300 mm
Machine Weight	2250KG

#### Features of Convenient and Labor Saving Pushing Up Silage Loader / Silo Loader:

1. Feed/Silage Loading section is level, to prevent secondary fermentation forage;
2. Feed/Silage Loading roller blade is made of high quality alloy blades, durable and smooth cutting;
3. Feed/Silage Loading height 5 m, loading height of 2.9 meters, and it can be working with the vehicle-mounted, towed working;
4. Feed/Silage Loading efficiency  $\geq 30$  tons / hour, more efficient than similar products;
5. The chain scraper is made of thicker square tube, to prevent stress and deformation;
6. The whole frame is made of thick material, the weight two tons of machine itself can eliminate accidents caused by the machine wobble while working;
7. The device uses a hydraulic brake, automatic braking when working;
8. Self-propelled design, easy to operate on farm;
9. Feed/Silage Loader is highly suitable for a variety of silo;
10. Reducing labor, labor time, reduce labor intensity;
11. Electric drive, significantly reducing the cost of Feed/Silage Loading;
12. Improve silage quality and prevent secondary fermentation;
13. Reduce the incidence of cows;



HAILIAN PACKAGING EQUIPMENT CO.,LTD  
 Email: [sales1@dairymachinery.cc](mailto:sales1@dairymachinery.cc)  
 Mobile: +86 13301568240(Whatsapp/Viber)  
 Skype: savior.chen2



HAILIAN PACKAGING EQUIPMENT CO.,LTD  
 Email: sales1@dairymachinery.cc  
 Mobile: +86 13301568240(Whatsapp/Viber)  
 Skype: savior.chen2



HAILIAN PACKAGING EQUIPMENT CO.,LTD  
 Email: sales1@dairymachinery.cc  
 Mobile: +86 13301568240(Whatsapp/Viber)  
 Skype: savior.chen2

**Contact us:**

HAILIAN PACKAGING EQUIPMENT CO., LTD  
 ZHANGJIAGANG CHUANGPU MACHINERY CO.,LTD  
 Mr.Savior Chen



EMAIL: sales1@dairymachinery.cc



MOBILE: +86 13301568240(Whatsapp/Viber)



SKYPE: savior.chen2



WECHAT: savior\_chen2



QQ: 1003668592



**Hailian Packaging Equipment Co.,Ltd**



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China