

Automatic Milking Flow Meter Herringbone Milking Parlor for Dairy Farm

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: one sets
- Price:
- Packaging Details:
- Delivery Time: 15-20 working days
- Payment Terms: T/T, Western Union, MoneyGram, Paypal

HAILIAN

HL-G2

USD+

China(Mainland), Jiangsu

Wooden Case with (pp film and carton).

CE, ISO, SGS, FDA

• Supply Ability: 1000+pieces+Month



রাগ

Product Specification

• Item: Automatic Milking Flow Meter Herringbone Milking Parlor For Dairy Farm Model Number: HL-G2 4KW Power: Automatic Herringbone Structure • Type: 2x4 To 2x32(Customized) · Layout: Glass Milk Meter Capacity: 31 Liter(upon Request) • Pulsation Frequency: 60:40(adjustable) For Cow/goat Etc. • Milking Place: From 16 To 64 Cows(Customized) • Milking Unit(at One Time): From 16 To 64 Cows Milking(Customized) • Certificate: CE,ISO,SGS,FDA Highlight: herringbone milking parlor system, small milking parlor

Product Description

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Automatic Milking Flow Meter Herringbone Milking Parlor for Dairy Farm Applications:

Our company Milking Parlor could be used for cow, sheep, goat and cattle. And they can milk many cows at one time. Description:

1. The Milking parlor / milking hall is a system that could be used to milk cows / goats in a large quantity at the same time. The st alls milking the shape of the the Herringbone parlor steel work in a variety of sizes to suit the preference of the customer And al so with accurate and proportional measurement, this parallel milking parlor become more and more popular. 2. The layout could be designed from 2×4 to 2×32 or more as customer's request. With milk flow meter and ACR system, this kin d of milking parlor is more widely used all around the world.

Features:

Install easily and quickly. Layout compact, save space. Automatic cup remover. Auto electronic massage High efficiency and low cost. Could improve cow's milk production. Could suit different cow/cattle/dairy size. Auto split type measurement and milk flow meter.

Parts of the Milking Parlor:

Shed Frame(Galvanized anti rust treatment). Cleaning System. Electronic Control System. Vacuum System. Milk Receiver System. Milking Control System.

Competitive Advantage:

High Quality with reasonable price. Best quality to assure long life-using. With one year warranty and all life long support. We are machines manufacture sale directly. We provide the technical support within the one year warranty. Engineers overseas available to install the parlor and train the workers.

Specifications:

Item

Power

Type Layout

Usage

Voltage

Milking Place

Automatic Milking Flow Meter Herringbone Milking Parlor for Dairy Farm HL-G02 Model Number 4kw Automatic Herringbone Structure 2x4 to 2x32(Customized) Milking cow/goat etc. Glass Milk Meter Capacity 31 liter(upon request) **Pulsation Frequency** 60:40(adjustable) for cow/goat etc. from 16 to 64 cows(Customized) Milking Unit(at one time) from 16 to 64 cows milking(Customized) Three phase:380V/50Hz(Customized)

Product commerce clause:

Minimum Order Quantity

One Piece

Price Packaging Details **Delivery Time** Payment Terms Supply Ability Warranty Certificate

Negotiation Wooden Case with (pp film and carton). 25-30 working days Western Union, Paypal, T/T, Money Gram 1000pieces/Month One Year CE,ISO,SGS,FDA

Product general information:

Place of Origin Brand Name

China (Mainland) HAILIAN

Miss. M	onroe Jiang	
~	es3@dairymachinery.cc	
	301569249(Whats-app/V	
Sskype:	live:jiangmonroe	
Sechat:	monroe_jiangchuangpu	
³ TM:	cn1513246295	
🖉 QQ:	1475786187	
0		