



3mm Thickness Dairy Farms Cattle Headlock For Cows With 4 Dairy Cows Locking

Basic Information

Place of Origin: China Mainland

Brand Name: HL
Certification: ISO
Model Number: HL-MP08
Minimum Order Quantity: 1 set
Price: USD
Packaging Details: Bulk

• Delivery Time: 7 - 15 days

Payment Terms: T/T, Western Union, MoneyGram,Paypal

• Supply Ability: 1000 sets / month



Product Specification

• Item: Headlock

Name: Dairy Farms Cattle HeadlockMaterial: Hot-galvanizing Steel Pipe

• Thickness: 3mm Thickness

Height: 1.16m Length: 3m

Highlight: cattle crush head lock, cattle head lock



More Images





Product Description

3mm Thickness Dairy Farms Cattle Headlock For Cows With 4 Dairy Cows Locking

Quick Details:

- Item: dairy farms cattle headlock
- Width for pew cow: 0.75m
- One whole set headlock height: 1.1m
- Length for each set head lock: 3.00m
- Suitable for weanling calves, 3-6 month animal
- Main Parts: adjustable pole, montant, mantlet, clamp, bolt & axis pin etc.
- Each set (6.00 meters steel pipe ength)could holds 4 cows.

Description:

The dairy farms cattle headlock can guarantee feeding of cows, milking and fixing, which is good for cows regular check-up, epidemic prevention, breeding, treatment, calving and other sides. The dairy farms cattle headlock is a kind of self-closing head lock, dairy farms cattle headlock can greatly reduce the labor intensity. Simple structure, the dairy farms cattle headlock operation is very simple and convenient, through the rocker, push and pull, the feeding pole will bed fixed.

Features:

- The dairy farms cattle headlock has heavy-duty construction, with solid and stable main bracket.
- Due to rubber damping sets, the dairy farms cattle headlock noise could be highly reduced.
- Different type dairy farms cattle headlock meet cows' in different period.
- Each group of the dairy farms cattle headlock can control 48-60 cows. It is labor-saving and effective.
- Lock on each yoke allows each animal to be retained or removed in dividually.
- Due to accurate design and standard open, The dairy farms cattle headlock is easy and safety for animal to access.
- Cow-friendly design for the dairy farms cattle headlock, it is easy entry and exit-easy, head adjustment with no tools required.
- The dairy farms cattle headlock be with scientific and reasonable pillar and adjustable pole, animal feels more comfortable.
- During feeding, if animals tumble, the adjustable pole could keep " \(\Lambda \)" type, then be safety out.
- This kind of the dairy farms cattle headlock could achieve group locking and also single manual release.

Specification:

Model	Width(for per cow)	Material	Animal Age
HL-JJ-400	0.40m	3mm thickness hot-galvanized steel pipe	3-6 month weanling calves
HL-JJ-500	0.50m		7-12 month heifer
HL-JJ-600	0.60m		13-18 month growing cow
HL-JJ-660	0.66m		18-24 month young cow
HL-JJ-750	0.75m		lactating cow
HL-JJ-1200	1.20m		dry / pregnant / postpartum cow

Note: Each set length is 6.00mm, could hold 5 to 12 cows / cattles; the head lock height is 1.06m.

Application:

The dairy farms cattle headlock is an ideal farm equipment for animals feeding, milking and fixing. This dairy farms cattle headlock is good for animals regular check-up, epidemic prevention, breeding, treatment, calving and other sides.







Contact Us

Contact Name: Ms. Nancy Zhang

Office: +86 512 5890 5953

Skype: nancy.zhang62

Web: http://www.dairymachinery.cc

http://www.mobilemilkingmachine.com

WhatApp / Viber: 008613301569240





Hailian Packaging Equipment Co.,Ltd





sales2@dairymachinery.cc



@ mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China