


Moving Dairy Cow Farms Vertical TMR Mixers With Heavy Duty Wheel

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: China Mainland
- Brand Name: HL
- Certification: ISO,CE
- Model Number: HL-TMR5, HL-TMR7,HL-TMR9,HL-TMR12
- Minimum Order Quantity: 1 Set
- Price: USD
- Packaging Details: Bulk
- Delivery Time: 7 -15 days
- Payment Terms: T/T, Western Union, MoneyGram,Paypal
- Supply Ability: 10 Sets / Month



Product Specification

- Item: TMR Feed Mixer
- Name: Dairy Cow Farms Vertical TMR Mixers
- Volume: 5CBM
- Type: Vertical Mobile
- Weight: 1510kg
- Specification: 3600X1700X2200mm
- Highlight: small tmr mixer, vertical feed mixer



More Images



Product Description

Moving Dairy Cow Farms Vertical TMR Mixers With Heavy Duty Wheel

P-Quick Details

- Item: Dairy Cow Farms Vertical TMR Mixers
- Volume: 5CBM
- Mixing time: 10 - 15 minutes
- Length of Grass: 5 - 10cm
- Structure: vertical feed mixer
- Type: trail-type(mobile type) or stationary

P-Description

The meaning of TMR is "Total Mixed Ration".

Dairy cow farms vertical TMR mixers mix fully whole grains, grain feed, trace elements with other additives, offers enough nutrition to meet cow, sheep and other animals. This dairy cow farms vertical TMR mixers are / is an ideal equipment for farm, agriculture, nurture, cultivation, family farming. This dairy cow farms vertical TMR mixers be equipped with weight system, the weighting is more accurate. Machine structure is simple and stable, easy to cooperate. Through stirring(uniform stirring effect), the feed is more fluffy and more even, which could help create one scientific proportion of nutrition and making poultry keep healthy, improve dairy production , the quality of dairy cows and dairy cow breeding.

The dairy cow farms vertical TMR mixers be constructed by electrical system, mixing box body, vertical ground dragon, hydraulic system, weighing sensor system, transmission system and other parts.

P-Features

1. The dairy cow farms vertical TMR mixers adopt the high quality gear reducer, stable quality, low failure rate, the design life is more than 20000 hours, and the maintenance is also very simple, first maintenance and replacement of gear oil is after 1000 working hours, and every 4000 hours after the first time maintenance.
2. The dairy cow farms vertical TMR mixers maximum design of auger, improve the mixing efficient and mixing effect, standard production can complete full ration in 10-15 minutes.
3. The dairy cow farms vertical TMR mixers blades are made of alloy blade the best quality, the working hours are 1200-1500 hours.
4. The dairy cow farms vertical TMR mixers be with accurate electronic weighing system to better grasp the dietary ratio.
5. The dairy cow farms vertical TMR mixers can be designed with both side discharge gates, is convenient for users.
6. The dairy cow farms vertical TMR mixers mixing efficient of multi-augers is higher, and the diet palatability is better.
7. The dairy cow farms vertical TMR mixers design of multi-augers to realize the large scale of TMR, for the super large ranch provide dietary production support.
8. The dairy cow farms vertical TMR mixers is easily handle large round or square bales of hay and reduce labor costs;
9. The dairy cow farms vertical TMR mixers is greatly reduce the chance of caking feed, save feed costs, improve economic returns;
10. The dairy cow farms vertical TMR mixers could help reduce the incidence of disease, the probability of lacking of trace elements / vitamins.

P-Specification

Item	HL-9TMR-5	HL-9TMR-7	HL-9TMR-9	HL-9TMR-12
Capacity(CBM)	5	7	9	12
Auger(PCS)	1 PCS	1 PCS	1 PCS	1PCS
Blade(PCS)	5 PCS	7 PCS	10 PCS	10PCS
Blade Type	Abrasion Resistance, alloy, saw type			
Speed(r/min)	26			
Power(kw)	35	45	65	75
Weighing System	4 Weighing Sensor LED Digital Display			
Observation Desk	Anti-Slip Aluminum Embossing			
Size(LxWxH)(mm)	3600X1700X2200	3760X1860X2460	4060X2160X2780	4500X2160X3110

Weight(kgs)	1510	1960	2660	3680
-------------	------	------	------	------

P-Application

The dairy cow farms vertical TMR mixers be used to mixe fully whole grains, grain feed, trace elements with other additives, offers enough nutrition to meet cow, sheep and other animals. This dairy cow farms vertical TMR mixers are an ideal equipment for farm, agriculture, nurture, cultivation, family farming.





Hailian Packaging Equipment Co.,Ltd

Nancy Zhang

Skype: nancy.zhang62

Viber/WhatsApp:0086 13301569240

Email: sales2@dairymachinery.cc

Contact Us

Contact Name: Ms. Nancy Zhang

Wechat:

Telephone: +86 133 0156 9240

Skype: nancy.zhang62

Web: <http://www.dairymachinery.cc>

<http://www.mobilemilkingmachine.com>

WhatsApp / Viber: 008613301569240



Hailian Packaging Equipment Co.,Ltd

☎ 0086 13301569240

✉ sales2@dairymachinery.cc

🌐 mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China