

12 Cubic Meter Mobile TMR Feed Mixer Machine For Mixing Hay / Grass / Green

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: China Mainland
- Brand Name: HL
- Certification: ISO,CE
- Model Number: HL-TMR5, HL-TMR7,HL-TMR9,HL-TMR12
- Minimum Order Quantity: 1 Set
- Price: USD
- Packaging Details: Bulk
- Delivery Time: 7 -15 days
- Payment Terms: T/T, Western Union, MoneyGram,Paypal
- Supply Ability: 10 Sets / Month



Product Specification

- Item: TMR Feed Mixer
- Name: Mobile Feeding Mixer Machine
- Volume: 12CBM
- Type: Vertical Mobile
- Weight: 3680kg
- Specification: 4500X2160X3110mm
- Highlight: small tmr mixer, vertical feed mixer



More Images



Product Description

12 Cubic Meter Mobile TMR Feed Mixer Machine For Mixing Hay / Grass / Green

P-Quick Details

- Item: Mobile Feeding Mixer Machine
- Volume: 12 CBM
- Mixing time: 10 - 15 minutes
- Length of Grass: 5 - 10cm
- Structure: vertical feed mixer
- Type: trail-type(mobile type) or stationary

P-Description

The meaning of TMR is "Total Mixed Ration".

Mobile feeding mixer machine mixes fully whole grains, grain feed, trace elements with other additives, offers enough nutrition to meet cow, sheep and other animals. This mobile feeding mixer machine are / is an ideal equipment for farm, agriculture, nurture, cultivation, family farming. This mobile feeding mixer machine be equipped with weight system, the weighting is more accurate. Machine structure is simple and stable, easy to cooperate. Through stirring(uniform stirring effect), the feed is more fluffy and more even, which could help create one scientific proportion of nutrition and making poultry keep healthy, improve dairy production , the quality of dairy cows and dairy cow breeding.

The mobile feeding mixer machine be constructed by electrical system, mixing box body, vertical ground dragon, hydraulic system, weighing sensor system, transmission system and other parts.

P-Features

1. Adopt the high quality gear reducer, stable quality, low failure rate, the design life is more than 20000 hours, and the maintenance is also very simple, first maintenance and replacement of gear oil is after 1000 working hours, and every 4000 hours after the first time maintenance.
2. The maximum design of auger, improve the mixing efficient and mixing effect, standard production can complete full ration in 10-15 minutes.
3. The blades are made of alloy blade the best quality, the working hours are 1200-1500 hours.
4. With accurate electronic weighing system to better grasp the dietary ratio.
5. It can be designed with both side discharge gates, is convenient for users.
6. The mixing efficient of multi-augers is higher, and the diet palatability is better.
7. Design of multi-augers to realize the large scale of TMR, for the super large ranch provide dietary production support.
8. Easily handle large round or square bales of hay and reduce labor costs;
9. Greatly reduce the chance of caking feed, save feed costs, improve economic returns;
10. Reduce the incidence of disease, the probability of lacking of trace elements / vitamins.

P-Specification

| Item | HL-TMR5 | HL-TMR7 | HL-TMR9 | HL-TMR12 |
|------------------|---------------------------------------|----------------|----------------|----------------|
| Capacity(CBM) | 5 | 7 | 9 | 12 |
| Auger(PCS) | 1 PCS | 1 PCS | 1 PCS | 1PCS |
| Blade(PCS) | 5 PCS | 7 PCS | 10 PCS | 10PCS |
| Blade Type | Abrasion Resistance, alloy, saw type | | | |
| Speed(r/min) | 26 | | | |
| Power(kw) | 35 | 45 | 65 | 75 |
| Weighing System | 4 Weighing Sensor LED Digital Display | | | |
| Observation Desk | Anti-Slip Aluminum Embossing | | | |
| Size(LxWxH)(mm) | 3600X1700X2200 | 3760X1860X2460 | 4060X2160X2780 | 4500X2160X3110 |
| Weight(kgs) | 1510 | 1960 | 2660 | 3680 |

P-Application

The mobile feeding mixer machine be used to mixe fully whole grains, grain feed, trace elements with other additives, offers enough nutrition to meet cow, sheep and other animals. This dairy cow farms vertical TMR mixers are an ideal equipment for farm, agriculture, nurture, cultivation, family farming.





Contact Us

Contact Name: Ms. Nancy Zhang

Wechat:

Telephone: +86 133 0156 9240

Skype: nancy.zhang62

Web: <http://www.dairymachinery.cc>

<http://www.mobilemilkingmachine.com>

WhatsApp / Viber: 008613301569240



Hailian Packaging Equipment Co.,Ltd

☎ 0086 13301569240

✉ sales2@dairymachinery.cc

🌐 mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China