# Electric Motor Cow TMR Feed Mixer Mobile Silage Reclaimer For Farm

Our Product Introduction

## Basic Information

- Place of Origin: China
- Brand Name: HL
- Certification: ISO
- Model Number: HL-Q5000
- Minimum Order Quantity: 1 SET
- Packaging Details: Bulk
- Delivery Time: 15 - 20 days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 10 SETS per Month

## Product Specification

- Item: Mobile Silage Reclaimer
- Model: HL-Q5000
- Height Of Silage Reclaimer: 5000m
- Size: 5750*1600*3300 Mm
- Weight: 2.3T
- Power: Electric Motor
- Highlight: **small tmr mixer**, **vertical feed mixer**

## More Images

for more products please visit us on mobilemilkingmachine.com

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

## Product Description

**Electric Motor Cow Vertical TMR Mixers Mobile Silage Reclaimer For Farm**

**Quick Details:**

- Item: mobile silage reclaimer
- Type: Self-propelled mobile type
- Animal: cows, cattles, goats, sheep, horse etc.
- Function: loading and taking the silage from the pit silo to mixer machine
- Suitable for different size pastures, dairy farms, animal husbandry enterprises etc.

**Technical Data:**

| | |
|---|---|
| Model | HL-Q5000 |
| Feed/Silage Loading Height | 5000mm |
| Feed/Silage Loading Revolving Speed | 210r/min |
| Feed/Silage Loading Power | 7.5KW |
| Quantity of Taking Blades | 84 pcs |
| Hydraulic Power | 5.5KW |
| Walking Speed | 5KM/Hour |
| Walking Type | Hydraulic Motor + Different Speed Drive Axle |
| Transferring Type | Hydraulic Motor + Chain |
| Turning Type | Hydro-cylinder + Swinging Steering Axle |
| Lifting Type | Hydro-cylinder |
| Tyre Model | Front Tyre:650-16 Back Tyre:550-16 |
| Operating and Control Type | Handle Button Switch |
| Dimension(L*W*H) | 5750*1600*3300 mm |
| Machine Weight | 2250KG |

**Description:**

Mobile silage reclaimer, the special and necessary equipment for feed loading and taking in dairy cows farm, is suitable for cow and cattle farms/villages to load and take the silage from the pit silo, it wil reduce the taking fodder cost greatly. The silage loader is widely used in China dairy industry, especially the dairy farm, and deeply loved bythe animal husbandry enterprises.

**Features:**

1. Feed / Silage Loading section is level,to prevent secondary fermentation forage;
2. Feed / Silage Loading roller blade is made of high quality alloy blades, durable and smooth cutting;
3. Feed / Silage Loading height 5 m, loading height of 2.9 meters, and it can be working with the vehicle-mounted, towed working;
4. Feed / Silage Loading efficiency ≥30 tons / hour, more efficient than similar products;
5. The chain scraper is made of thicker square tube, to prevent stress and deformation;
6. The whole frame is made of thick material, the weight two tons of machine itself can eliminate accidents caused by the machine wobble while working;
7. The device uses a hydraulic brake, automatic braking when working;

**Advantages:**

1. Self-propelled design, easy to operate on farm;
2. Feed / Silage Loader is highly suitable for a variety of silo;
3. Reducing labor, labor time, reduce labor intensity;
4. Electric drive, significantly reducing the cost of Feed/Silage Loading;
5. Improve silage quality and prevent secondary fermentation;
6. Reduce the incidence of cows;

**Application:**

Mobile silage reclaimer, the special and necessary dairy farm equipment for cows, goats, cattles etc., it is used to load and take the feed / silage from the pit silo into TMR feed mixer for mixing and stirring, or into other placs. This silage loader machine is suitable for differenct size cow and cattle farms / villages, goats or sheep farming or other small farmers.

**Chuangpu Animal Husbandry Technology (Suzhou) Co., Ltd.**

0086 13301569240 sales2@dairymachinery.cc mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone,Yangshe Twon,Zhangjiagang City, China