

Electric Motor Cow TMR Feed Mixer Mobile Silage Reclaimer For Farm

Basic Information

- Place of Origin: China
- Brand Name: HL
- Certification: ISO
- Model Number: HL-Q5000
- Minimum Order Quantity: 1 SET
- Packaging Details: Bulk
- Delivery Time: 15 - 20 days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 10 SETS per Month



Product Specification

- Item: Mobile Silage Reclaimer
- Model: HL-Q5000
- Height Of Silage Reclaimer: 5000mm
- Size: 5750*1600*3300 Mm
- Weight: 2.3T
- Power: Electric Motor
- Highlight: small tmr mixer, vertical feed mixer



More Images



Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Product Description

Electric Motor Cow Vertical TMR Mixers Mobile Silage Reclaimer For Farm

Quick Details:

- Item: mobile silage reclaimer
- Type: Self-propelled mobile type
- Animal: cows, cattles, goats, sheep, horse etc.
- Function: loading and taking the silage from the pit silo to mixer machine
- Suitable for different size pastures, dairy farms, animal husbandry enterprises etc.

Technical Data:

Model	HL-Q5000
Feed/Silage Loading Height	5000mm
Feed/Silage Loading Revolving Speed	210r/min
Feed/Silage Loading Power	7.5KW
Quantity of Taking Blades	84 pcs
Hydraulic Power	5.5KW
Walking Speed	5KM/Hour
Walking Type	Hydraulic Motor + Different Speed Drive Axle
Transferring Type	Hydraulic Motor + Chain
Turning Type	Hydro-cylinder + Swinging Steering Axle
Lifting Type	Hydro-cylinder
Tyre Model	Front Tyre:650-16 Back Tyre:550-16
Operating and Control Type	Handle Button Switch
Dimension(L*W*H)	5750*1600*3300 mm
Machine Weight	2250KG

Description:

Mobile silage reclaimer, the special and necessary equipment for feed loading and taking in dairy cows farm, is suitable for cow and cattle farms/villages to load and take the silage from the pit silo, it will reduce the taking fodder cost greatly. The silage loader is widely used in China dairy industry, especially the dairy farm, and deeply loved by the animal husbandry enterprises.

Features:

1. Feed / Silage Loading section is level, to prevent secondary fermentation forage;
2. Feed / Silage Loading roller blade is made of high quality alloy blades, durable and smooth cutting;
3. Feed / Silage Loading height 5 m, loading height of 2.9 meters, and it can be working with the vehicle-mounted, towed working;
4. Feed / Silage Loading efficiency ≥ 30 tons / hour, more efficient than similar products;
5. The chain scraper is made of thicker square tube, to prevent stress and deformation;
6. The whole frame is made of thick material, the weight two tons of machine itself can eliminate accidents caused by the machine wobble while working;
7. The device uses a hydraulic brake, automatic braking when working;

Advantages:

1. Self-propelled design, easy to operate on farm;
2. Feed / Silage Loader is highly suitable for a variety of silo;
3. Reducing labor, labor time, reduce labor intensity;
4. Electric drive, significantly reducing the cost of Feed/Silage Loading;
5. Improve silage quality and prevent secondary fermentation;
6. Reduce the incidence of cows;

Application:

Mobile silage reclaimer, the special and necessary dairy farm equipment for cows, goats, cattles etc., it is used to load and take the feed / silage from the pit silo into TMR feed mixer for mixing and stirring, or into other places. This silage loader machine is suitable for different size cow and cattle farms / villages, goats or sheep farming or other small farmers.



Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China