

Oil Sealed Rotary Vane Milker Vacuum Pump Milking Machine Spares

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

Basic Information

- Place of Origin: China Mainland
- Brand Name: HL
- Certification: ISO
- Model Number: HL-V550
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Wooden Crate
- Delivery Time: 5 - 7 days
- Payment Terms: T/T, Western Union, Pypal
- Supply Ability: 500 sets / month



Product Specification

- Item: Milking Vacuum Pump
- Model: HL-V550
- Capacity: 550 Liter / Min
- Power: 2200w
- Speed: 1440rpm
- Type: Fiber Vane Vacuum Pump
- Highlight: surge milker vacuum pump, milking machine vacuum pumps



More Images



Product Description

Oil Sealed Rotary Vane Milker Vacuum Pump Milking Machine Spares

Quick Details:

- Model: HL-V550
- Capacity: 550L
- Material: cast iron
- Vacuum pump vane: fiber material vane
- Range: used for milking machine and milking parlor system

Components:

One whole set oil sealed rotary milking vacuum pump consists of vacuum pump, silencer (stainless steel muffler), oil can (oil pot), belt (pulley) and some rubber parts. And the pump vane of vacuum pump kits is made of fiber material.

Description:

The oil sealed rotary milking vacuum pump is the heart of the milking machine. Regular servicing helps preserve the vacuum reserve. Various capacity vacuum pump with different motor power be supplied for choosing. The heavy duty body of the oil sealed rotary milking vacuum pump is constructed from chemical resistant cast iron, making it durable to any environmental working conditions.

The function of oil sealed rotary milking vacuum pump is to extract air from the milking machine system through the belt driven. This milking vacuum pump gives flexibility with speeds ranging from about 800–1500 r/min and a corresponding angel of pump capacities to suit different sizes of milking machines.

Specification:

Capacity (L/min)	250	300	550	850	1500	2100
Pump Speed (r/min)	1440	1440	1440	1440	1440	1440
Vacuum Degree(Kpa)	50	50	50	50	50	50
Noise (Db(A))	≤50	≤50	≤60	≤70	≤70	≤70
Ultimate Vacuum(Mp)	≤90	≤90	≤90	≤90	≤90	≤90
Motor Power(kw)	1.1	1.1	2.2	3	4	5.5
Weight(kg)	13.5	14	31	36	57.5	69.5
Size(L×W×H) (mm)	230*220*220	230*220*220	280*270*220	300*220*220	430*230*230	390*290*290

Note: The above parameters for reference only!

Application:

The oil sealed rotary milking vacuum pump is the heart of the milking machine system, through extracting air, the vacuum pump help the milking machine system finish the sucking fresh milk from animals and collect milk through piping into milk tanker, milk bucket, milk receiver. This milking vacuum pump gives flexibility with speeds ranging from about 800–1500 r/min and a corresponding angel of pump capacities to suit different sizes of milking machines and milking system.





Hailian Packaging Equipment Co.,Ltd

☎ 0086 13301569240

✉ sales2@dairymachinery.cc

🌐 mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China