

## Sliding Blade Milking Vacuum Pump Small Milking Parlor Equipment Parts

Our Product Introduction

for more products please visit us on mobilemilkingmachine.com

### Basic Information

- Place of Origin: China Mainland
- Brand Name: HL
- Certification: ISO
- Model Number: HL-V1500
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Wooden Crate
- Delivery Time: 5 - 7 days
- Payment Terms: T/T, Western Union, Pypal
- Supply Ability: 500 sets / month



### Product Specification

- Item: Milking Vacuum Pump
- Model: HL-V1500
- Capacity: 1500 Liter / Min
- Power: 4kw
- Speed: 1440rpm
- Type: Kelvar Vane Vacuum Pump
- Highlight: surge milker vacuum pump, milking machine vacuum pumps



### More Images



## Product Description

### Sliding Blade Milking Vacuum Pump Small Milking Parlor Equipment Parts

#### Quick Details:

- Model: HL-V1500
- Capacity: 1500L
- Material: high quality cast iron
- Vacuum pump vane: kelvar fiber material vane
- Range: used for milking machine and milking parlor system

#### Components:

One whole set oil sealed rotary milking vacuum pump consists of vacuum pump, silencer (stainless steel muffler), oil can (oil pot), belt (pulley) and some rubber parts. And the pump vane of vacuum pump kits is made of fiber material.

#### Description:

The sliding blade milking vacuum pump is the heart of the milking machine. Regular servicing helps preserve the vacuum reserve. Various capacity vacuum pump with different motor power be supplied for choosing. The heavy duty body of the sliding blade milking vacuum pump is constructed from chemical resistant cast iron, making it durable to any environmental working conditions.

The function of sliding blade milking vacuum pump is to extract air from the milking machine system through the belt driven. This milking vacuum pump gives flexibility with speeds ranging from about 800–1500 r/min and a corresponding angel of pump capacities to suit different sizes of milking machines.

#### Application:

The sliding blade milking vacuum pump is the heart of the milking machine system, through extracting air, the vacuum pump help the milking machine system finish the sucking fresh milk from animals and collect milk through piping into milk tanker, milk bucket, milk receiver. This milking vacuum pump gives flexibility with speeds ranging from about 800–1500 r/min and a corresponding angel of pump capacities to suit different sizes of milking machines and milking system.

#### Specification:

Capacity (L/min)	250	300	550	850	1500	2100
Pump Speed (r/min)	1440	1440	1440	1440	1440	1440
Vacuum Degree(Kpa)	50	50	50	50	50	50
Noise (Db(A))	≤50	≤50	≤60	≤70	≤70	≤70
Ultimate Vacuum(Mp)	≤90	≤90	≤90	≤90	≤90	≤90
Motor Power(kw)	1.1	1.1	2.2	3	4	5.5
Weight(kg)	13.5	14	31	36	57.5	69.5
Size(L×W×H) (mm)	230*220*220	230*220*220	280*270*220	300*220*220	430*230*230	390*290*290

**Note:** The above parameters for reference only!





Nancy Zhang

Skype: nancy.zhang62

Viber/WhatsApp: 0086-13301569240

Email: sales2@dairymachinery.cc



**Hailian Packaging Equipment Co.,Ltd**

☎ 0086 13301569240

✉ sales2@dairymachinery.cc

🌐 mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China