



15 Liter Double Walled Stainless Steel Milk Bucket High Strength For Beverage / Beer

Basic Information

Place of Origin: China Mainland

Brand Name: HL
Certification: ISO
Model Number: HL-B05A
Minimum Order Quantity: 1 Unit

• Price: USD\$ 87.00 -USD\$97.00 per unit

Packaging Details: CartonDelivery Time: 5 - 7 days

Payment Terms: T/T, Western Union, MoneyGram,Paypal

• Supply Ability: 1000 Units per Month



Product Specification

Name: Insulation Pail
Volume: 15 Liter
Material: SUS
Height: 390mm

Height: 390mmOD: 350mmID: 305mmWeight: 8kg

• Highlight: painted milk cans,

stainless steel milk containers



More Images





Product Description

15 Liter Double-walled Stainless Steel Milk Bucket with Heat Preservation Function

Quick Details:

		Stainless steel heat preservation transport barrels						
Volume	OD.	ID.	Height	Insulation Layer Height	Thickness	Weight		
15L	350mm	305mm	390mm	225mm	1.2mm	8kg		

Simple features:

- With 1.2mm thickness barrel body, double layer
- With 30mm polyamine ammonia foaming insulation layer
- With lockable cover & silicone sealing ring, 1.5mm thickness cover

Application:

Double-walled Stainless Steel Milk Bucketbe used to transport and store the milk, beverages, tea, beer, fruit, soybean milk, wine, soup and other liquid. It is widely used in dairy factory, milk collecting station, beverage factory, milk bar, dairy products factory and other food industries

Deacription

Double-walled Stainless Steel Milk Bucketbe made in stainless steel(SS201 or SS304), the inside and outside the polishing processing technology, with good technology, high sealing and beautiful appearance. It is convenient to storage and transport, easy to clean, reliable in quality. With 30mm insulation layer, the heat preservation effect of the insulation barrels for the milk, beverages, tea and other liquid is good, which keep a guaranty for short-term storage and long-distance transportation requirements. Different volume of the insulation barrels: 10 I, 15 I, 20 I, 25 I, 30 I, 40 I, 50 I. Also can be customized other specifications.

Product Characteristics:

- 1. Stainless steel material manufacturing, with high strength structure and durable body;
- 2. Internal and external precision polishing, beautiful appearence and easy cleaning;
- 3. Food grade silicone sealing ring, high airtight feature, comply with the safety and health requirements;
- 4. Common specifications of products can be readily available stock, non-standard can also be customized.
- 5. With 30 mm insulation layer, which is made of polyamine ammonia foaming insulation material.
- 6. Can be customized according to customer requirements, such as wheels, valve switch, etc.
- 7. The lid adopts SS304 material, mirror polishing, with 1.5 mm thickness;
- 8. Double layer stainless steel material , 1.2 mm thickness, sturdy and durable.

Products Parameter:

Volume	OD.	ID.	Height	Insulation Layer Height	Thickness	Weight
10L	350mm	305mm	350mm	225mm	1.2mm	7.5kg
15L	350mm	305mm	390mm	225mm	1.2mm	8kg
20L	350mm	305mm	430mm	225mm	1.2mm	8.5kg
25L	350mm	305mm	510mm	225mm	1.2mm	9.0kg
30L	350mm	305mm	590mm	225mm	1.2mm	11.2kg
40L	350mm	305mm	680mm	225mm	1.2mm	12.8kg
50L	420mm	350mm	720mm	300mm	1.2mm	16.0kg









Hailian Packaging Equipment Co.,Ltd



0086 13301569240



sales2@dairymachinery.cc



mobilemilkingmachine.com

Nanzhuang Village, Economic Development Zone, Yangshe Twon, Zhangjiagang City, China